

BERGER[®]

QUALITY BUILDING PRODUCTS SINCE 1874

PRODUCT CATALOG

Distributed by:
SlateRoofWarehouse.com

Ph: 814-786-9085
Mail@JosephJenkins.com

TABLE OF CONTENTS

ROOFING ACCESSORIES	5
Drip & Roof Edges	6
Drip, Window & Door Caps	17
Flashing	20

ROOF DRAINAGE SOLUTIONS	27
K-Style Gutters	28
Half-Round Gutters	30
Downspouts	32
Elbows	38
Offsets	46
Miters	48
End Caps	53
K-Style Hangers	56
Half-Round Hangers	62
End Pieces & Slip Joints	68
Outlets & Conductor Heads	70
Pipe Fasteners & Accessories	77
Euracraft	88
Gutter Coils	93

GUTTER PROTECTION	97
Gutter Guards	98
Rainwater Diversion	102

SNOW RETENTION SYSTEMS	107
Snow Guards	108
Mullane Snow Guards	112
Snow Rail Systems	120

TRIM COILS & SIDING ACCESSORIES	123
Trim Coils	124
Soffits	128
Fascias & Channels	130

TECHNICAL REFERENCE APPENDIX	135
-------------------------------------	------------



AT BERGER, WE GO BEYOND ROOFING DRAINAGE.

BERGER


From roofing products to siding accessories,
we're your trusted manufacturer for topnotch
building products.



PROVIDING BUILDING PRODUCTS SINCE 1874

BUILDING QUALITY PRODUCTS SINCE 1874

For 145+ years, Berger has remained the go-to supplier of building products for customers like you.



BERGER®

ROOFING ACCESSORIES

drip & roof edges • drip, window & door caps • flashing

ROOFING ACCESSORIES

Berger has the contractor-grade edging and flashing products you need. Choose from 40+ profiles in top materials like copper, aluminum and steel. Painted or with a mill finish, there's a style that works for every project.

- Protects against water infiltration
- Available in painted aluminum, mill finish aluminum, copper, galvanized steel and painted steel
- Offered in a wide variety of profiles

DRIP & ROOF EDGES

MATERIALS & PACKAGING:

ALUMINUM

COPPER




STEEL







All drip and roof edges are 10' long.

All thicknesses and dimensions are nominal.






All drip and roof edge are sold in full carton quantities only.








For proper ordering, enter color code (• •). For example: A-5 • • B filled out as A-5WAB would be an aluminum A5 Roof Edge, 0.019 thickness and 10' long, painted white.

	THICKNESS	COLOR	SKU	PACKAGING
 A5 ROOF EDGE	0.0125	Mill Finish	A-5MF2	50
	0.0125	WA BA	A-5••2	50
	0.019	WA BA BL BZ	A-5••B	25
 A55 ROOF EDGE	0.019	WA BA BL BZ	A-55••B	25
 A6 ROOF EDGE	0.019	WA BA BL BZ NC AL SW	A-6••B	25





	THICKNESS	COLOR	SKU	PACKAGING
 B4 ½ ROOF EDGE	0.019	Royal Brown 	B45BAB	50
 B5 ROOF EDGE	0.0125	Mill Finish	B-5MF2	25
	0.0125	White 	B-5WA2	25
 BS4 ½ ROOF EDGE	0.019	WA BA	BS45••	50
 C3 DRIP EDGE	0.0125	W	C-3•A2	50
	0.019	Mill Finish	C-3MFB	50
	0.019	W RB	C-3•AB	50
 C3 ½ DRIP EDGE	0.0125	WA BA	C35••2	50
	0.016	WA BA	C35••6	50
	0.019	WA BA AD AL BK SW TZ DB HC HE HG LI MB NC PB PG AM GG LM	C35••B	50
	16 Oz	Copper	C35CPB	20
	16 Oz	Copper	C-4CPBD	20
 C4 DRIP EDGE				



ROOFING ACCESSORIES




		THICKNESS	COLOR	SKU	PACKAGING
	ALUMINUM	0.0125	WA	C45••2	50
		0.016	WA BA NB	C45••6	50
		0.019	WA RB MB BK	C45••B	50
			NB		
C4 1/2 DRIP EDGE	COPPER	0.024	W B	C45•24	25
	COPPER	16 Oz	Copper	C45CPB	20
	STEEL	26 Ga	WS BS	C45••B	20
		28 Ga	Galvanized	C45GLB	20
	ALUMINUM	0.0125	Mill Finish	CS4MF2	50
		0.0125	W B	CS4•A2	50
		0.019	W B	CS4•AB	50
		16 Oz	Copper	CS4CPB	20
CS4 DRIP EDGE	COPPER				
	COPPER				
	ALUMINUM	0.0125	Mill Finish	C-5MF2	50
		0.0125	W B	C-5•A2	50
C5 DRIP EDGE					
	ALUMINUM	0.016	WA BA	C55••6	50
		0.019	WA BA MB	C55••B	50
		0.024	WA RB	C55•6	50
		0.032	W B	C55•3B	25
C5 1/2 DRIP EDGE	COPPER	16 Oz	Copper	C55CPB	15
	COPPER				
	STEEL	26 Ga	WS BS	C55••B	20
		28 Ga	Galvanized	C55GLB	20
	ALUMINUM	0.032	Mill Finish	C-63MF	25
		0.032	WB HG BA DZ BK	C-63••	25
		16 Oz	Copper	C-6CPB	10
		26 Ga	W B	C-6•SB	10
C6 DRIP EDGE	COPPER	28 Ga	Galvanized	C-6GLB	10
	COPPER				




		THICKNESS	COLOR	SKU	PACKAGING
 C7 DRIP EDGE	ALUMINUM	0.032	WB BA B3	C-73••	25
	STEEL	26 Ga	White	5764400120	10
 C8 DRIP EDGE	ALUMINUM	0.032	White	C-93WA	25
	STEEL	26 Ga	Galvanized	5600800120	50
 C9 DRIP EDGE	ALUMINUM	0.032	White	C-93WA	25
	STEEL	26 Ga	Galvanized	5600800120	50
 D3 ROOF EDGE	ALUMINUM	0.019	WA BA	D-3••B	50
	STEEL	26 Ga	Galvanized	5600800120	50
 D4 ROOF EDGE	ALUMINUM	0.019	WA BA	D-4••B	50
	STEEL	26 Ga	Galvanized	5601200120	25
 E3 ROOF EDGE	ALUMINUM	0.016	WA	E-3••6	50
	STEEL	26 Ga	Galvanized	5601200120	25
 E4 ROOF EDGE	ALUMINUM	0.016	WA BA	E-4••6	50
	STEEL	26 Ga	Galvanized	5601200120	25





ROOFING ACCESSORIES


		THICKNESS	COLOR	SKU	PACKAGING
 E6 ROOF EDGE	ALUMINUM	0.016	WA BA	E-6••6	50
		0.019	WA BA	E-6••B	50
	STEEL	26 Ga	Galvanized	E-6GLB	20
		26 Ga	White	E-6WSB	20
 E8 ROOF EDGE	ALUMINUM	0.019	WA BA	E-8••B	25
	STEEL	26 Ga	Galvanized	E-8GLB	10
 E9 DRIP EDGE	COPPER	16 Oz	Copper	E-9CPBD	5
 F4 ½ HEMMED DRIP EDGE	ALUMINUM	0.0125	WA BA	F45••2	50
		0.016	WA BA BK	F45••6	50
		0.019	Mill Finish	F45MFB	50
		0.019	WA BA AL AM TB DB GG HC HG LI LM NB PG SB SW BK HB PB	F45••B	50
	COPPER	16 Oz	Copper	F45CPB	20
	STEEL	30 Ga	Galvanized	5621400120	25
		32 Ga	Black	5701435120	25
		32 Ga	Brown	5701419120	25
		32 Ga	Galvanized	5601400120	25
		32 Ga	White	5701400120	25

	THICKNESS	COLOR	SKU	PACKAGING
 F4 ½ OPEN HEMMED DRIP EDGE	ALUMINUM	0.019	00 15 33 35 51	55244••120 50
	STEEL	28 Ga	00 19 33 35	57224••120 25
		32 Ga	Galvanized	5611400120 25
 FR4 ½ DRIP EDGE	ALUMINUM	0.016	White	FR45W6 50
		0.019	White	FR45WB 50

	THICKNESS	COLOR	SKU	PACKAGING
 F5 DRIP EDGE	0.014	WA BK TB BA NC DB SW AL	F50150••4	50
	0.016	WA BA	F-5••6	50
	0.016	WA BK TB BA NC DB SW AL CC	F50150••6	50
	0.016	WA BK TB BA NC DB SW AL MB	F50175••6	50
	0.019	Mill Finish	F-5MFB	50
	0.019	WA BA AL AM TB DB GG HC HG LI LM NB PG SB SW BK HB PB	F-5••B	50
	0.024	W B	F-5•24	25
	16 Oz	Copper	F-5CPB	15
	28 Ga	Galvanized	F-5GLB	20
	28 Ga	W B	F-5•SB	20
 F5 OPEN DRIP EDGE	0.0125	Mill Finish	F5OMF2	50
	0.0125	W B	F5O•A2	50
	0.016	WA BA BK	F5O••6	50
	0.019	Mill Finish	F5OMFB	50
	0.019	W B	F5O•AB	50
	16 Oz	Copper	F5OCPB	10
	0.0125	W B	F55O•2	50
	0.016	W B	F55O•6	50
	0.019	Mill Finish	F55OMF	50
 F5 ½ DRIP EDGE				

	THICKNESS	COLOR	SKU	PACKAGING																									
 F5 1/2 DRIP EDGE CONTINUED	ALUMINUM	0.019	<table><tr><td>WA</td><td>BA</td><td>AL</td><td>AM</td></tr><tr><td>TB</td><td>DB</td><td>GG</td><td>HC</td></tr><tr><td>HG</td><td>LI</td><td>LM</td><td>NB</td></tr><tr><td>PG</td><td>SB</td><td>SW</td><td>BK</td></tr><tr><td>PB</td><td>HB</td><td></td><td></td></tr></table>	WA	BA	AL	AM	TB	DB	GG	HC	HG	LI	LM	NB	PG	SB	SW	BK	PB	HB			F55O••	50				
WA		BA	AL	AM																									
TB		DB	GG	HC																									
HG		LI	LM	NB																									
PG		SB	SW	BK																									
PB	HB																												
 F5 1/2M DRIP EDGE	0.014	<table><tr><td>W</td><td>B</td></tr></table>	W	B	F55M•6	50																							
W	B																												
 F5 1/2S DRIP EDGE	STEEL	0.019	<table><tr><td>20</td><td>59</td><td>35</td><td>33</td></tr><tr><td>28</td><td>79</td><td>53</td><td>85</td></tr><tr><td>46</td><td>19</td><td>15</td><td></td></tr></table>	20	59	35	33	28	79	53	85	46	19	15		55117••120	50												
20		59	35	33																									
28	79	53	85																										
46	19	15																											
	26 Ga	Brown		5765619120	25																								
	26 Ga	White		5765600120	25																								
 F55M DRIP EDGE	ALUMINUM	0.016	<table><tr><td>WA</td><td>AL</td><td>BK</td><td>DB</td></tr><tr><td>SB</td><td>BA</td><td>SW</td><td></td></tr></table>	WA	AL	BK	DB	SB	BA	SW		F55M••B	25																
WA		AL	BK	DB																									
SB	BA	SW																											
	0.019	<table><tr><td>WA</td><td>BA</td><td>AL</td><td>AM</td></tr><tr><td>TB</td><td>DB</td><td>GG</td><td>HC</td></tr><tr><td>HG</td><td>LI</td><td>LM</td><td>NB</td></tr><tr><td>PG</td><td>SB</td><td>SW</td><td>BK</td></tr><tr><td>PB</td><td>HB</td><td></td><td></td></tr></table>	WA	BA	AL	AM	TB	DB	GG	HC	HG	LI	LM	NB	PG	SB	SW	BK	PB	HB			F55M••6	25					
WA	BA	AL	AM																										
TB	DB	GG	HC																										
HG	LI	LM	NB																										
PG	SB	SW	BK																										
PB	HB																												
	COPPER	16 Oz	<table><tr><td>W</td><td>BZ</td><td>BL</td></tr></table>	W	BZ	BL	F55M••13	20																					
W	BZ	BL																											
 F5M DRIP EDGE	ALUMINUM	0.016	<table><tr><td>WA</td><td>BA</td></tr></table>	WA	BA	F5M••6	50																						
WA		BA																											
		0.019	<table><tr><td>AD</td><td>AL</td><td>BA</td><td>BK</td></tr><tr><td>DB</td><td>GG</td><td>GR</td><td>HC</td></tr><tr><td>WA</td><td>HG</td><td>LM</td><td>NC</td></tr><tr><td>PGR</td><td>SA</td><td>SB</td><td>SW</td></tr><tr><td>DT</td><td>AM</td><td>MB</td><td>BL</td></tr><tr><td>HE</td><td>PB</td><td>TB</td><td></td></tr></table>	AD	AL	BA	BK	DB	GG	GR	HC	WA	HG	LM	NC	PGR	SA	SB	SW	DT	AM	MB	BL	HE	PB	TB		F5M••B	50
AD		AL	BA	BK																									
DB		GG	GR	HC																									
WA		HG	LM	NC																									
PGR	SA	SB	SW																										
DT	AM	MB	BL																										
HE	PB	TB																											

	THICKNESS	COLOR	SKU	PACKAGING	
 F5M DRIP EDGE c ONTINUED	COPPER	16 Oz	Copper	F5MCPB	15
	STEEL	28 Ga	Brown	5724519120	25
		28 Ga	Galvanized	F5MGLB	25
		28 Ga	White	F5MW13	25
		29 Ga	White	5704519120	25
		29 Ga	White	F5MW11	25
 F5S HEMMED DRIP EDGE	ALUMINUM	0.016	59 35 19 28 53 15 46 00 79	55155••120	50
	STEEL	30 Ga	35 33 19 00	57155••120	25
	 FR5 DRIP EDGE	ALUMINUM	0.016	WA BA	FR5••6
ALUMINUM		0.019	WA BA BK	FR5••B	50
 F6M DRIP EDGE	ALUMINUM	0.016	59 35 33 00	55042••120	50
	ALUMINUM	0.019	69 18 27 79 15 74 46 31 85 53	55042••120	50
	STEEL	29 Ga	Galvanized	5624200120	20
		30 Ga	00 19	57042••120	20




F8 DRIP EDGE


	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	0.012	Mill Finish	F-8MF2	25
	0.012	WA BA	F-8••2	25
	0.016	White	F-8W24	25
	0.019	Mill Finish	F-8MFB	25
	0.019	WA BA BK	F-8••2	25
COPPER	16 Oz	Copper	F-8W24	10
STEEL	30 Ga	Galvanized	F-83GL	20
STEEL	28 Ga	Galvanized	H1FGLB	10
ALUMINUM	0.016	Mill Finish	H55MFB	50
	0.019	WA BA	H55••6	50
	0.019	WA BA MB	H55••B	50
COPPER	16 Oz	Copper	H55CPB	15
STEEL	28 Ga	Galvanized	H55GLB	20
STEEL	28 Ga	W B	H55•SB	20
ALUMINUM	0.016	WA BA	H6F••6	50
	0.019	Mill Finish	H6FMFB	20
	0.019	WA BA MB	H6F••B	50
	0.024	White	H6FW24	25
	0.032	Mill Finish	H6FM3B	20
	0.032	WA BA MB	H6F•3B	25
	0.032	Royal Brown	H6FBRF	25
COPPER	16 Oz	Copper	H6FCPB	15
STEEL	28 Ga	Galvanized	H6FGLB	20
STEEL	28 Ga	W B	H6F•SB	20



H10F DRIP EDGE







H5 1/2 DRIP EDGE



H6F DRIP EDGE

ROOFING ACCESSORIES

		THICKNESS	COLOR	SKU	PACKAGING
 H7 SLAG STOP	ALUMINUM	0.032	Mill Finish	H-73MF	25
		0.032	HG BR DB	H-73••	25
 ODE DRIP EDGE	ALUMINUM	0.016	WA BA	ODE••6	50
		0.019	AMB BK BW DB LM NC PB PG SW	ODE-••	50
	COPPER	16 Oz	Copper	ODE-CP	15
 ODLR DRIP EDGE	ALUMINUM	0.019	ADB AL AMB BA BK BL DB DT GG HC HB LM MB NC PB PG SS SW TB WA	ODLR••	50
 VENTED DRIP EDGE	ALUMINUM	0.027	Mill Finish	VDE-MF	20
		0.027	HG BR	VDE-••	20
	COPPER	16 Oz	Copper	VDE-CP	10

DRIP, WINDOW & DOOR CAPS

MATERIALS & PACKAGING:

ALUMINUM






COPPER

STEEL






All thicknesses and dimensions are nominal.



All drip, window and door caps are sold in full carton quantities only.

For proper ordering, enter color code (• •). For example: A-5 • • B filled out as A-5WAB would be an aluminum A5 Roof Edge, 0.019 thickness and 10' long, painted white.

	THICKNESS	LENGTH	COLOR	SKU	PACKAGING
 DC1 DOOR CAP	0.0125	10'	WA BA	DC1••2	50
	0.016	10'	WA BA	DC1••6	50
 DC2 DOOR CAP	0.0125	10'	White	DC2WA2	50
	0.016	10'	White	DC2WA6	50
 DC3 DOOR CAP	0.0125	10'	White	DC3WA2	50
	0.016	10'	White	DC3WA6	50
 DOOR CAP 5/8"	0.011	10'	Mill Finish	5422100120	100
	0.011	10'	White	5522120120	50
 DOOR CAP 3/4"	0.011	42"	Mill Finish	5452000042	50
	0.011	4'	Mill Finish	5452000048	50
	0.011	8'	Mill Finish	5452000096	100
	0.011	10'	Mill Finish	5423100120	100
	0.011	10'	Brown	5523119120	100
	0.011	10'	Hi-Gloss White	5523120120	50
	0.011	10'	White	5523100120	100

ROOFING ACCESSORIES

		THICKNESS	LENGTH	COLOR	SKU	PACKAGING
 DOOR CAP 1"	ALUMINUM	0.011	10'	Hi-Gloss White 	5532120120	50
		0.011	10'	White 	5532100120	100
 DOOR CAP 1 $\frac{5}{16}$"	ALUMINUM	0.011	10'	Mill Finish	5452100042	50
	ALUMINUM	0.011	10'	Hi-Gloss White 	5525120120	50
	ALUMINUM	0.011	10'	White 	5525100120	100
	COPPER	16 Oz	10'	Copper	XDCC56	20
 DOOR CAP 1 $\frac{1}{8}$"	ALUMINUM	0.011	10'	Brown 	5524119120	100
	ALUMINUM	0.011	10'	Hi-Gloss White 	5524120120	50
	ALUMINUM	0.011	10'	White 	5524100120	100
	COPPER	16 Oz	10'	Copper	XDCC18	20
 DOOR CAP 1 $\frac{1}{4}$"	ALUMINUM	0.011	42"	Mill Finish	5404900042	50
		0.011	10'	Mill Finish	5404900120	100
		0.0175	10'	White 	5504900120	50
		0.011	10'	Hi-Gloss White 	5504920120	50
 DOOR CAP 1 $\frac{1}{2}$"	ALUMINUM	0.011	42"	Mill Finish	5426100042	50
		0.011	8'	Mill Finish	5426100096	50
		0.011	10'	Mill Finish	5426100120	100
		0.011	10'	Hi-Gloss White 	5526120120	50
		0.011	10'	White 	5526100120	100
		0.0175	10'	White 	5506000120	50
 DOOR CAP 1 $\frac{5}{8}$"	STEEL	32 Ga	10'	Galvanized	5606000120	50

		THICKNESS	LENGTH	COLOR	SKU	PACKAGING
 BRICK MOLDING	ALUMINUM	0.019	10'	White 	BMCWA9	25
 Z BAR 5/8"	ALUMINUM	0.014	10'	Mill Finish	5451100120	100
		0.014	10'	Royal Brown 	5551119120	100
		0.014	10'	Royal Brown 	5551519120	50
		0.014	10'	White 	5551100120	100
		0.014	10'	White 	5551500120	50
 2" ROUND RIDGE ROLL	ALUMINUM	0.019	10'	Mill Finish	RROMF2	10
	COPPER	0.019	10'	 	RR0••2	10
		16 Oz	10'	Copper	RROCP2	5
		STEEL	28 Ga	10'	Galvanized	RR0282

FLASHING

MATERIALS & PACKAGING:




ALUMINUM





COPPER

STEEL

All thicknesses and dimensions are nominal. All flashing is sold in full carton quantities only.


For proper ordering, enter color code (• •). For example: A-5 • • B filled out as A-5WAB would be an aluminum A5 Roof Edge, 0.019 thickness and 10' long, painted white.

		THICKNESS	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 W VALLEY WITH HEM	ALUMINUM	0.019	18"	10'	Brown 	55118015120	10
	ALUMINUM	0.019	18"	10'	Black 	5511835120	10
	COPPER	16 Oz	18"	10'	Copper	6711800120	10
	COPPER	16 Oz	24"	10'	Copper	6712400120	10
	STEEL	28 Ga	20"	10'	Galvanized	5612000120	10
	STEEL	28 Ga	18"	10'	Black 	5711835120	10
	STEEL	28 Ga	20"	10'	Brown 	5712019120	10
	STEEL	28 Ga	20"	10'	Bronze	5712033120	10
	STEEL	28 Ga	20"	10'	Black 	5712035120	10
	STEEL	28 Ga	24"	10'	Brown 	5712419120	10
 W VALLEY MIDWEST	ALUMINUM	0.016	24"	10'	BL BA TB 	WV24A••BMW	100
	STEEL	26 Ga	20"	10'	BA BL 	WV20S••26MW	10
	STEEL	26 Ga	20"	10'	BA BL TB 	WV20S••29MW	10
	STEEL	26 Ga	24"	10'	TB BL 	WV24S••29MW	10
 129° V VALLEY WITH ½" OPEN HEM	ALUMINUM	0.016	10"	10'	Mill Finish	22003	25
	ALUMINUM	0.016	12"	10'	Mill Finish	22008	25
	ALUMINUM	0.016	14"	10'	Mill Finish	22020	25
	COPPER	16 Oz	10"	10'	Copper	22033	5
	COPPER	16 Oz	12"	10'	Copper	22034	5
	COPPER	16 Oz	14"	10'	Copper	22038	5

						FLASHING	
		THICKNESS	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 V VALLEY	ALUMINUM	0.032	18"	8'	Mill Finish	V8MF18	10
	COPPER	16 Oz	18"	10'	Copper	V1CP18	10
 DORMER FLASHING	ALUMINUM	0.019	6"	10'	Black 	XFL9B7	50
		0.019	6"	10'	Brown 	XFL9R7	50
 APRON FLASHING	ALUMINUM	0.014	6"	10'	Brown 	5506515120	50
		0.014	6"	10'	White 	5506500120	50
		0.016	6"	8'	Black 	17008	25
		0.016	6"	8'	Brown 	17010	25
		0.016	6"	8'	Mill Finish	17005	20
	COPPER	16 Oz	6"	8'	Copper	17017	25
GUTTER APRON	ALUMINUM	0.011	5"	10'		RA55075••2	40
		0.017	5"	10'		RA55075••	40
							
							
							
							
 STEP FLASHING (FLAT)	ALUMINUM	0.019	8"	6"	Mill Finish	STBB68	500
		0.019	7"	5"	Mill Finish	STFLMF	500
		0.019	8"	6"	Mill Finish	STMF68	500
		0.019	10"	7"	Mill Finish	SFM710	500
		0.019	10"	8"	Mill Finish	SFM810	500
		0.019	7"	5"		STFLBB	500
	COPPER	16 Oz	7"	5"	Copper	STFLCP	100
		16 Oz	10"	8"	Copper	SFC810	100



STEP FLASHING
PRE-BENT

	THICKNESS	WIDTH	LENGTH	COLOR	SKU	PACKAGING
ALUMINUM	0.011	3"	2"	Mill Finish	SFM237	500
	0.011	2.5"	2.5"	Mill Finish	SFM227	500
	0.011	3"	3"	Mill Finish	SFM338	500
	0.011	4"	3"	Mill Finish	SFM347	500
	0.011	5"	3"	Mill Finish	SFM448	250
	0.011	5"	5"	Mill Finish	SFM557	250
	0.011	5"	5"	Mill Finish	SFM558	250
	0.011	6"	6"	Mill Finish	SFM662	250
	0.011	3"	2"	W B K	SF•237	500
	0.011	2.5"	2.5"	W B K Z	SF•227	500
	0.011	3"	3"	W B K	SF•338	500
	0.011	4"	3"	W B K Z	SF•347	500
	0.011	5"	3"	W B K	SF•358	500
	0.011	4"	8"	W B K Z	SF•448	500
	0.011	5"	5"	W B K	SF•557	250
	0.011	5"	5"	W B K	SF•558	250
	0.011	6"	6"	W B K	SF•662	250
COPPER	16 Oz	2.5"	2.5"	Copper	SFC227	100
	16 Oz	3"	2"	Copper	SFC237	100
	16 Oz	4"	3"	Copper	SFC347	100
	16 Oz	6"	4"	Copper	SFC462	25
	16 Oz	5"	5"	Copper	SFC558	50
	16 Oz	6"	6"	Copper	SFC662	25
STEEL	30 Ga	4"	4"	Galvanized	SFG447	100
	30 Ga	5"	5"	Galvanized	SFG557	100





VALLEY FLASHING

	THICKNESS	WIDTH	COLOR	SKU	PACKAGING
ALUMINIUM	0.0078	4"	Mill Finish	MFVR04	50' / roll
	0.0078	6"	Mill Finish	MFVR06	50' / roll
	0.0078	8"	Mill Finish	MFVR08	50' / roll
	0.0078	10"	Mill Finish	MFVR10	50' / roll
	0.0078	12"	Mill Finish	MFVR12	50' / roll
	0.0078	14"	Mill Finish	MFVR14	50' / roll
	0.0078	16"	Mill Finish	MFVR16	50' / roll
	0.0078	18"	Mill Finish	MFVR18	50' / roll
	0.0078	20"	Mill Finish	MFVR20	50' / roll
	0.0078	24"	Mill Finish	MFVR24	50' / roll
	0.009	6"	Mill Finish	MFEV06	50' / roll
	0.009	8"	Mill Finish	MFEV08	50' / roll
	0.009	10"	Mill Finish	MFEV10	50' / roll
	0.009	12"	Mill Finish	MFEV12	50' / roll
	0.009	14"	Mill Finish	MFEV14	50' / roll
	0.009	16"	Mill Finish	MFEV16	50' / roll
	0.009	18"	Mill Finish	MFEV18	50' / roll
	0.009	20"	Mill Finish	MFEV20	50' / roll
	0.009	24"	Mill Finish	MFEV24	50' / roll
	0.014	6"	Mill Finish	68106	50' / roll
	0.014	8"	Mill Finish	68108	50' / roll
	0.014	10"	Mill Finish	68110	50' / roll
	0.014	12"	Mill Finish	68112	50' / roll
	0.014	14"	Mill Finish	68114	50' / roll
	0.014	16"	Mill Finish	68116	50' / roll
	0.0167	20"	Mill Finish	68120	50' / roll
	0.0167	24"	Mill Finish	68124	50' / roll
COPPER	16 Oz	8"	Copper	CPEV08	100 lbs / roll
	16 Oz	10"	Copper	CPEV10	100 lbs / roll
	16 Oz	12"	Copper	CPEV12	100 lbs / roll
	16 Oz	14"	Copper	CPEV14	100 lbs / roll
	16 Oz	16"	Copper	CPEV16	100 lbs / roll
	16 Oz	18"	Copper	CPEV18	100 lbs / roll
	16 Oz	20"	Copper	CPEV20	100 lbs / roll
	16 Oz	24"	Copper	CPEV24	100 lbs / roll



VALLEY FLASHING
CONTINUED

STEEL	THICKNESS	WIDTH	COLOR	SKU	PACKAGING
	32 Ga	6"	Galvanized	70006	50' / roll
	32 Ga	8"	Galvanized	70008	50' / roll
	32 Ga	10"	Galvanized	70010	50' / roll
	32 Ga	12"	Galvanized	70012	50' / roll
	32 Ga	14"	Galvanized	70014	50' / roll
	32 Ga	16"	Galvanized	70016	50' / roll
	32 Ga	18"	Galvanized	70020	50' / roll
	32 Ga	20"	Galvanized	70024	50' / roll
	32 Ga	24"	Galvanized	70028	50' / roll


		THICKNESS	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 COPPER FLASHING	COPPER	16 Oz	10"	10'	Copper	67314	1
		16 Oz	10"	10'	Copper	67320	1
		16 Oz	25"	10'	Copper	67514	1
		16 Oz	25"	10'	Copper	67520	1
		3 Oz	20"	10'	Copper	8506712	4
		3 Oz	60"	10'	Copper	8506912	4
 COLD ROLLED COPPER SHEETS	COPPER	16 Oz	3"	10'	Copper	PS16CP	65 sheets / skid Approximately 2,000 lbs / skid
		16 Oz	3'	10'	Copper	PS1696	80 sheets / skid Approximately 1,920 lbs / skid
 METAL BENDER TOOL WITH 3½" BLADES	ALUMINUM	-	-	-	Die Cast Aluminum	850329	12 pieces / carton
7" & 10" BLADES FOR METAL BENDER TOOL	ALUMINUM	-	-	-	Die Cast Aluminum	85030	12 cards / carton



145+ YEARS OF BUILDING PRODUCTS KNOWLEDGE

OVER 145 YEARS OF BUILDING PRODUCTS KNOWLEDGE

Berger has provided products and knowledge for customers since 1874.



BERGER®

ROOF DRAINAGE SOLUTIONS

k-style gutters • half-round gutters • downspouts • elbows • offsets
miters • end caps • k-style hangers • half-round hangers • end pieces & slip
joints • outlets & conductor heads • pipe fasteners & accessories
euracraft • gutter coils

ROOF DRAINAGE SOLUTIONS

Proper roof drainage is the best way to protect your client's home and foundation from damaging water runoff. From high-end gutter systems in styles they'll love to gutter trim, Berger has what you need. Choose from a variety of colors and materials like aluminum, steel and copper.

- Available in painted aluminum, copper, painted steel, galvanized steel and paint grip steel
- Gutter and accessories to fit most needs
- Offered in a variety of popular colors

GUTTERS: K-STYLE GUTTERS

MATERIALS & PACKAGING:

ALUMINUM

COPPER

STEEL

All thicknesses and dimensions are nominal.

Gutters are available in standard 10', 20' and 30' lengths. Contact Customer Care for nonstandard lengths.

For proper ordering, enter length code (__) and color code (• •). For example: K__ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



HEMBACK

ALUMINUM	SIZE	THICKNESS	COLOR	SKU	PACKAGING
	5"	0.024	Mill Finish	K10MF5	10
	5"	0.027	HG BR 30W BK	K_ • • 5	10
	5"	0.032	32 B3	K_ • • 5	10
	6"	0.032	Mill Finish	K10MF6	5
	6"	0.032	32 BR DB	K_ • • 6	5

		SIZE	THICKNESS	COLOR	SKU	PACKAGING
HI-BACK (45°)	ALUMINUM	5"	0.032	H3 HB	K••_5	5
		6"	0.032	H8 HB HD	K••_5	5
	COPPER	5"	16 Oz	Copper	K_ _CH5	5
		6"	16 Oz	Copper	K_ _CH6	5
	STEEL	6"	26 Ga	Galvanized	K_ _6H6	10
APRON (90°)	STEEL	6"	26 Ga	Galvanized	A266_ _	5
 STRAIGHT BACK	COPPER	5"	16 Oz	Copper	K_ _CP5	5
		5"	20 Oz	Copper	K_ _C25	5
		6"	16 Oz	Copper	K_ _CP6	5
		6"	20 Oz	Copper	K_ _C26	5
		7"	20 Oz	Copper	K_ _2C7	5
		8"	20 Oz	Copper	K_ _2C8	5
	STEEL	5"	24 Ga	Galvanized	K_ _245	10
		5"	26 Ga	Galvanized	K_ _265	5
		5"	26 Ga	Paint Grip	K_ _PG5	10
		5"	28 Ga	Galvanized	K_ _285	10
		5"	28 Ga	W6 BS	K_ _••5	5
		6"	24 Ga	Galvanized	K_ _246	10
		6"	26 Ga	Galvanized	K_ _266	10
		6"	26 Ga	Paint Grip	K_ _PG6	10
		6"	28 Ga	W6 BS	K_ _••6	5
		7"	26 Ga	Galvanized	K_ _267	10

GUTTERS: HALF-ROUND GUTTERS

MATERIALS & PACKAGING:

- ALUMINUM
- COPPER
- STEEL

All thicknesses and dimensions are nominal.

Gutters are available in 10', 20' and 30' lengths. Contact Customer Care for nonstandard lengths.

For proper ordering, enter length code (__) and color code (••). For example: K__ •• 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



SINGLE BEAD

	SIZE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	5"	0.024	Mill Finish	L__MF5	10
	5"	0.027	HG BR	L__••5	10
	5"	0.032	32 B3	L__••5	10
	6"	0.032	Mill Finish	L__MF6	10
	6"	0.032	HG BR	L__••6	10
	7"	0.032	HG BR	L10••7	5
	8"	0.032	HG BR	L10••8	5
COPPER	5"	16 Oz	Copper	L__CP5	5
	5"	16 Oz	FreedomGray™	L__FG5	5
	5"	20 Oz	Copper	L__2C5	5
	6"	16 Oz	Copper	L__CP6	5
	6"	16 Oz	FreedomGray™	L__FG6	5
	6"	20 Oz	Copper	L__C26	5
	7"	16 Oz	Copper	L10CP7	5
	8"	16 Oz	Copper	L10CP8	5

		SIZE	THICKNESS	COLOR	SKU	PACKAGING																		
 SINGLE BEAD CONTINUED	STEEL	7"	26 Ga	Galvanized	L10267	10																		
		7"	26 Ga	Paint Grip	L10PG7	10																		
		8"	26 Ga	Galvanized	L10268	10																		
		8"	26 Ga	Paint Grip	L10PG8	10																		
 DOUBLE BEAD	COPPER	5"	16 Oz	Copper	L__DC5	5																		
		6"	16 Oz	Copper	L__DC6	5																		
 REVERSE BEAD	ALUMINUM	6"	0.027	<table><tr><td>30W</td><td>80W</td><td>AL</td></tr><tr><td>ADB</td><td>BL</td><td>LI</td></tr><tr><td>DB</td><td>HC</td><td>HB</td></tr><tr><td>LM</td><td>MB</td><td>AMB</td></tr><tr><td>NC</td><td>PB</td><td>RB</td></tr><tr><td>SW</td><td>BZ</td><td></td></tr></table>	30W	80W	AL	ADB	BL	LI	DB	HC	HB	LM	MB	AMB	NC	PB	RB	SW	BZ		R__••6	10
		30W	80W	AL																				
ADB	BL	LI																						
DB	HC	HB																						
LM	MB	AMB																						
NC	PB	RB																						
SW	BZ																							
	COPPER	6"	16 Oz	Copper	R__CP6	10																		

		SIZE	THICKNESS	COLOR	SKU	PACKAGING
 SINGLE BEAD WITH 1" FLANGE	COPPER	5"	16 Oz	Copper	L__CP5F1	5

		SKU	PACKAGING
 HANGER BENDER TOOL	COPPER	HGRBEND	1

		SIZE	SKU	PACKAGING
 DOWNPIPE EXPANDER	COPPER	4"	EXPANTOOL4	1
		4.7"	EXPANTOOL47	1

GUTTER ACCESSORIES: DOWNSPOUTS

MATERIALS & PACKAGING:

- ALUMINUM
- COPPER
- STEEL

All thicknesses and dimensions are nominal.

All gutter downspouts are 10' lengths.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



PLAIN ROUND
DOWNSPOUT

		SIZE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM		3"	0.019	Mill Finish	DSPRPMF3	10
		4"	0.024	Mill Finish	DSPRPMF4	10
		5"	0.024	Mill Finish	DSPRPMF5	5
		6"	0.024	Mill Finish	DSPRPMF6	3
		3"	0.019	30W	DSRP••3	10
				80W		
				AL		
				ADB		
				BL		
				LI		
				DB		
				HC		
				HB		
				LM		
				MB		
				AMB		
				NC		
				PB		
				RB		
				SW		
				BZ		
		4"	0.019	30W	DSRS410••	10
				80W		
				AL		
				ADB		
				BL		
				LI		
				DB		
				HC		
				HB		
				LM		
				MB		
				AMB		
				NC		
				PB		
				RB		
				SW		
				BZ		
		4"	0.024	HG	DSRP••4	10
				SW		
				BR		
				DB		
				ADB		



PLAIN ROUND
DOWNSPOUT
CONTINUED

	SIZE	THICKNESS	COLOR	SKU	PACKAGING
COPPER	3"	16 Oz	Copper	DSPRPCP3	5
	3"	16 Oz	FreedomGray™	DSPRPFG3	5
	3"	20 Oz	Copper	DSPRP2C3	5
	4"	16 Oz	Copper	DSPRPCP4	5
	4"	16 Oz	FreedomGray™	DSPRPFG4	5
	4"	20 Oz	Copper	DSPRP2C4	5
	5"	16 Oz	Copper	DSPRPCP5	5
	5"	20 Oz	Copper	DSPRP2C5	5
	6"	16 Oz	Copper	DSPRPCP6	3
STEEL	3"	24 Ga	Galvanized	DSPRP243	1
	3"	26 Ga	Galvanized	DSPRP263	1
	3"	26 Ga	Paint Grip	DSPRP263	1
	3"	26 Ga	Stainless	DSPRPSS3	5
	3"	28 Ga	Galvanized	DSPRP283	1
	3"	30 Ga	Galvanized	DSPRP283	1
	4"	24 Ga	Galvanized	DSPRP244	1
	4"	26 Ga	Galvanized	DSPRP264	1
	4"	26 Ga	Galvalume	DSPRPGA4	5
	4"	26 Ga	Paint Grip	DSPRP264	1
	4"	26 Ga	Stainless	DSPRPSS4	5
	4"	28 Ga	Galvanized	DSPRP284	1
	4"	30 Ga	Galvanized	DSPRP284	1
	5"	24 Ga	Galvanized	DSPRP245	1
	5"	26 Ga	Galvanized	DSPRP265	1
	5"	26 Ga	Paint Grip	DSPRP265	1
	5"	26 Ga	Stainless	DSPRPSS5	5
	6"	24 Ga	Galvanized	DSPRP246	1
	6"	26 Ga	Galvanized	DSPRP266	1
	6"	26 Ga	Paint Grip	DSPRP266	1
	6"	26 Ga	Stainless	DSPRPSS6	3



ROUND CORRUGATED
DOWNSPOUT

	SIZE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	3"	0.019	HG BZ AL ADB BL LI DB HC HB LM MB AMB NC PB RB SW	DSRCP••3	10
	4"	0.024	HG BZ AL ADB BL LI DB HC HB LM MB AMB NC PB RB SW	DSRCP••4	10
	3"	0.019	Mill Finish	DSRCPMF3	10
	4"	0.024	Mill Finish	DSRCPMF4	10
	5"	0.024	Mill Finish	DSRCPMF5	5
	6"	0.024	Mill Finish	DSRCPMF6	5
	3"	16 Oz	Copper	DSRCPCP3	5
	3"	16 Oz	Copper	DSRCPFG3	5
	3"	20 Oz	Copper	DSRCP2C3	5
	4"	16 Oz	Copper	DSRCPCP4	5
COPPER	4"	16 Oz	Copper	DSRCPFG4	5
	4"	20 Oz	Copper	DSRCP2C4	5
	5"	16 Oz	Copper	DSRCPCP5	5
	5"	20 Oz	Copper	DSRCP2C5	5
	6"	16 Oz	Copper	DSRCPCP6	3
	3"	24 Ga	Galvanized	DSRCP243	1
	3"	24 Ga	Paint Grip	DSRCPPG3	1
	3"	24 Ga	Stainless	DSRCPSS3	10
	3"	26 Ga	Galvanized	DSRCP263	1
	3"	28 Ga	Galvanized	DSRCP283	1
STEEL	3"	30 Ga	Galvanized	DSRCPSG3	1
	4"	24 Ga	Galvanized	DSRCP244	1
	4"	26 Ga	Galvanized	DSRCP264	1
	4"	26 Ga	Paint Grip	DSRCPPG4	1



ROUND CORRUGATED
DOWNSPOUT
CONTINUED

SIZE	THICKNESS	COLOR	SKU	PACKAGING
4"	26 Ga	Stainless	DSRCPSS4	5
4"	28 Ga	Galvanized	DSRCP284	1
4"	30 Ga	Galvanized	DSRCPSG4	1
5"	24 Ga	Galvanized	DSRCP245	1
5"	26 Ga	Galvanized	DSRCP265	1
5"	28 Ga	Paint Grip	DSRCPPG5	1
5"	28 Ga	Stainless	DSRCPSS5	5
6"	24 Ga	Galvanized	DSRCP246	1
6"	26 Ga	Galvanized	DSRCP266	1
6"	30 Ga	Paint Grip	DSRCPPG6	1
6"	30 Ga	Stainless	DSRCPSS6	3


STEEL



PLAIN SQUARE
DOWNSPOUT


2" x 3"	16 Oz	Copper	PSCP23EA	5
3" x 4"	16 Oz	Copper	PSCP34EA	5

COPPER



SQUARE CORRUGATED
DOWNSPOUT

ALUMINUM	SIZE	THICKNESS	COLOR			SKU	PACKAGING
	2" x 3"	0.016	W	B		DSSCPE•3	10
	2" x 3"	0.019	30W	80W	AL	DS310••	10
			ADB	BL	LI		
			DB	GG	HC		
			HE	LM	BZ		
			MB	AMB	NC		
			PG	PB	RB		
			SW				
	2" x 3"	0.024	H	B		DSSC24•3	10
	2" x 3"	0.024	Mill Finish			DSSCPMF3	10
	3" x 4"	0.019	30W	80W	AL	DS410••	10
			ADB	BL	LI		
			DB	GG	HC		
			HE	LM	BZ		
			MB	AMB	NC		
			PG	PB	RB		
			SW				
	3" x 4"	0.024	30W	80W	AL	DS41024••	10
			ADB	BL	LI		
			DB	GG	HC		
			HE	LM	NC		
			MB	AMB	RB		
			PG	PB	BZ		
			SW				
	3" x 4"	0.024	Mill Finish			DSSCPMF4	10
	4" x 5"	0.019	Low-Gloss White			DS51030W	10
	4" x 5"	0.024	HG	DB		DSSCP••5	10
	4" x 5"	0.024	Mill Finish			DSSCPMF5	10



**SQUARE CORRUGATED
DOWNSPOUT**
CONTINUED

	SIZE	THICKNESS	COLOR	SKU	PACKAGING
COPPER	2" x 3"	16 Oz	Copper	DSSCPCP3	5
	2" x 3"	20 Oz	Copper	DSSCP2C3	5
	3" x 4"	16 Oz	Copper	DSSCPCP4	5
	3" x 4"	20 Oz	Copper	DSSCP2C4	5
	4" x 5"	16 Oz	Copper	DSSCPCP5	5
	4" x 5"	20 Oz	Copper	DSSCP2C5	5
STEEL	2" x 3"	26 Ga	Steel	DSSCP263	5
	2" x 3"	26 Ga	Paint Grip	DSSCPPG3	1
	2" x 3"	28 Ga	Steel	DSSCP283	5
	2" x 3"	28 Ga	WS BS	DSSCP••3	10
	3" x 4"	24 Ga	Steel	DSSCP244	1
	3" x 4"	26 Ga	Steel	DSSCP264	5
	3" x 4"	26 Ga	Paint Grip	DSSCPPG4	10
	3" x 4"	28 Ga	Steel	DSSCP284	5
	3" x 4"	28 Ga	WS BS	DSSCP••4	5
	4" x 5"	24 Ga	Steel	DSSCP245	5
	4" x 5"	26 Ga	Steel	DSSCP265	1
	4" x 5"	26 Ga	Paint Grip	DSSCPPG5	5
	4" x 5"	28 Ga	Steel	DSSCP285	5
	4" x 5"	28 Ga	WS BS	DSSCP••5	5

GUTTER ACCESSORIES: ELBOWS

MATERIALS & PACKAGING:

- ALUMINUM
- COPPER
- STEEL

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is made of copper and coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



PLAIN ROUND
ELBOW

ALUMINUM

SIZE	DEGREE	THICKNESS	COLOR	SKU	PACKAGING
3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.019	Mill Finish	PR_MF3	30
4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	Mill Finish	PR_MF4	30
5"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	Mill Finish	PR_MF5	10
6"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	Mill Finish	PR_MF6	10
3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.019	30W80WAL ADBBLI DBGGHC HELMBZ MBAMBNC PGPBRB W	PR_••3	30
4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.019	HGBRDB	PR_••419	30
4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	HGBRDB	PR_••4	30



PLAIN ROUND
ELBOW
CONTINUED

	SIZE	DEGREE	THICKNESS	COLOR	SKU	PACKAGING
COPPER	3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	PR _ CP3	10
	3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	PR _ FG3	10
	4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	PR _ CP4	10
	4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	PR _ FG4	10
	5"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	PR _ CP5	10
	6"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	PR _ CP6	10
	3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Paint Grip	PR6_ G3	20
	4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Paint Grip	PR6_ G4	20
	3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Galvanized	PR6_ P3	20
	4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Galvanized	PR6_ G4	20
STEEL	4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Galvalume	PR_ GA4	20



ROUND CORRUGATED
ELBOW

	SIZE	DEGREE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.019	Mill Finish	RC_MF3	30
	4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	Mill Finish	RC_MF4	30
	5"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	Mill Finish	RC_MF5	10
	6"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	Mill Finish	RC_MF6	10
	3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.019	30W 80W AL ADB BL LI DB GG HC HE LM BZ MB AMB NC PG PB RB W	RC_••3	30
	4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	30W 80W AL ADB BL LI DB GG HC HE LM BZ MB AMB NC PG PB RB W	RC_••4	30
	3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	RC_CP3	10
	3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	FreedomGray™	RC_FG3	10
COPPER						



ROUND CORRUGATED
ELBOW
CONTINUED

	SIZE	DEGREE	THICKNESS	COLOR	SKU	PACKAGING
COPPER	4"	30° - 0	16 Oz	Copper	RC_CP4	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4"	30° - 0	16 Oz	FreedomGray™	RC_FG4	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	5"	30° - 0	16 Oz	Copper	RC_CP5	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	6"	30° - 0	16 Oz	Copper	RC_CP6	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
STEEL	3"	30° - 0	26 Ga	Galvanized	RC6_P3	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	3"	30° - 0	26 Ga	Paint Grip	RC6_G3	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4"	30° - 0	26 Ga	Galvanized	RC6_P4	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4"	30° - 0	26 Ga	Paint Grip	RC6_G4	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	5"	30° - 0	26 Ga	Galvanized	RC6_P5	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	5"	30° - 0	26 Ga	Paint Grip	RC6_G5	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	6"	30° - 0	26 Ga	Galvanized	RC6_P6	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				



SQUARE CORRUGATED
ELBOW TYPE A

	SIZE	DEGREE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	2" x 3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.016	Mill Finish	SA_MF3	30
	3" x 4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.019	Mill Finish	SA_MF4	30
	4" x 5"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	Mill Finish	SA_MF5	10
	2" x 3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.016	30W 80W AL ADB BL LI DB GG HC HE LM BZ MB AMB NC PG PB RB W	3AE••	30
	3" x 4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.019	30W 80W AL ADB BL LI DB GG HC HE LM BZ MB AMB NC PG PB RB W	4AE••	15
	4" x 5"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.024	HG BR DB	SA••_5	10
	2" x 3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	SA_CP3	10
	3" x 4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	SA_CP4	10
	4" x 5"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	16 Oz	Copper	SA_CP5	10



SQUARE CORRUGATED
ELBOW TYPE A

CONTINUED

	SIZE	DEGREE	THICKNESS	COLOR		SKU	PACKAGING	
STEEL	2" x 3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Galvanized		SA6_P3	20	
	2" x 3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Paint Grip		SA6_G3	20	
	2" x 3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	WS	BS	SA••_3	20	
	3" x 4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Paint Grip		SA6_G4	20	
	3" x 4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	Galvanized		SA6_P4	20	
	3" x 4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	26 Ga	WS	BS	SA••_4	20	
ALUMINUM	2" x 3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.016	30W	80W	AL	3BE••	30
				ADB	BL	LI		
				DB	GG	HC		
				HE	LM	BZ		
				MB	AMB	NC		
				PG	PB	RB		
				W				
	2" x 3"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.016	Mill Finish		SB_MF3	30	
	3" x 4"	30° - 0 45° - 1 60° - 2 75° - 3 90° - 4	0.019	30W	80W	AL	4BE••	15
				ADB	BL	LI		
				DB	GG	HC		
				HE	LM	BZ		
				MB	AMB	NC		
				PG	PB	RB		
				W				

SQUARE CORRUGATED
ELBOW TYPE B



SQUARE CORRUGATED
ELBOW TYPE B

CONTINUED


	SIZE	DEGREE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	3" x 4"	30° - 0	0.019	Mill Finish	SB_MF4	30
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4" x 5"	30° - 0	0.024	HG BR DB	SB••_5	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4" x 5"	30° - 0	0.024	Mill Finish	SB_MF5	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
COPPER	2" x 3"	30° - 0	16 Oz	Copper	SB_CP3	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	3" x 4"	30° - 0	16 Oz	Copper	SB_CP4	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4" x 5"	30° - 0	16 Oz	Copper	SB_CP5	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
STEEL	2" x 3"	30° - 0	26 Ga	WS BS	SB••_3	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	2" x 3"	30° - 0	26 Ga	Paint Grip	SB6_G3	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	2" x 3"	30° - 0	26 Ga	Galvanized	SB6_P3	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	3" x 4"	30° - 0	26 Ga	Paint Grip	SB6_G4	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	3" x 4"	30° - 0	26 Ga	Galvanized	SB6_P4	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				




SQUARE CORRUGATED
ELBOW TYPE B

CONTINUED

	SIZE	DEGREE	THICKNESS	COLOR	SKU	PACKAGING
STEEL	3" x 4"	30° - 0	26 Ga	WS BS	SB••_4	20
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4" x 5"	30° - 0	26 Ga	Paint Grip	SB6_G5	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4" x 5"	30° - 0	26 Ga	Galvanized	SB6_P5	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
	4" x 5"	30° - 0	26 Ga	WS BS	SB••_5	10
		45° - 1				
		60° - 2				
		75° - 3				
		90° - 4				
COPPER	2" x 3"	75° - 3		Copper	PSAC23	10
	3" x 4"	75° - 3		Copper	PSAC34	10
COPPER	2" x 3"	75° - 3		Copper	PSBC23	10
	3" x 4"	75° - 3		Copper	PSBC34	10



SQUARE PLAIN
ELBOW TYPE A



SQUARE PLAIN
ELBOW TYPE B

GUTTER ACCESSORIES: OFFSETS

MATERIALS & PACKAGING:

ALUMINUM

COPPER

STEEL

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



PLAIN ROUND
OFFSET

	SIZE	OFFSET	COLOR			SKU	PACKAGING
ALUMINUM	3"	2"	WA	SW	BR	OFPR3••15	EA
	3"	3"	WA	SW	BR	OFPR3••3	EA
	3"	4"	WA	SW	BR	OFPR3••4	EA
	3"	5"	WA	SW	BR	OFPR3••5	EA
	4"	2"	WA	SW	BR	OFPR4••15	EA
	4"	3"	WA	SW	BR	OFPR4••3	EA
	4"	4"	WA	SW	BR	OFPR4••4	EA
	4"	5"	WA	SW	BR	OFPR4••5	EA
COPPER	3"	2"	Copper			OFPR3CP15	EA
	3"	3"	Copper			OFPR3CP3	EA
	3"	4"	Copper			OFPR3CP4	EA
	3"	5"	Copper			OFPR3CP5	EA
	4"	2"	Copper			OFPR4CP15	EA
	4"	3"	Copper			OFPR4CP3	EA
	4"	4"	Copper			OFPR4CP4	EA
	4"	5"	Copper			OFPR4CP5	EA
STEEL	3"	2"	Galvanized			OFPR3GS15	EA
	3"	2"	Paint Grip			OFPR3PG15	EA
	3"	3"	Galvanized			OFPR3GS3	EA
	3"	3"	Paint Grip			OFPR3PG3	EA
	3"	4"	Galvanized			OFPR3GS4	EA
	3"	4"	Paint Grip			OFPR3PG4	EA
	3"	5"	Galvanized			OFPR3GS5	EA
	4"	2"	Galvanized			OFPR4GS15	EA
	4"	2"	Paint Grip			OFPR4PG15	EA
	4"	3"	Galvanized			OFPR4GS3	EA
	4"	3"	Paint Grip			OFPR4PG3	EA
	4"	4"	Galvanized			OFPR4GS4	EA

PLAIN ROUND
OFFSET
CONTINUED



SQUARE CORRUGATED
OFFSET

	SIZE	OFFSET	COLOR	SKU	PACKAGING
STEEL	4"	4"	Paint Grip	OFPR4PG4	EA
	4"	5"	Galvanized	OFPR4GS5	EA
	4"	5"	Paint Grip	OFPR4PG5	EA
ALUMINUM	2" x 3"	2"	WA SW BR	OFSC3••15	EA
	2" x 3"	3"	WA SW BR	OFSC3••3	EA
	2" x 3"	4"	WA SW BR	OFSC3••4	EA
	2" x 3"	5"	WA SW BR	OFSC3••5	EA
	3" x 4"	2"	WA SW BR	OFSC4••15	EA
	3" x 4"	3"	WA SW BR	OFSC4••3	EA
	3" x 4"	4"	WA SW BR	OFSC4••4	EA
	3" x 4"	5"	WA SW BR	OFSC4••5	EA
COPPER	2" x 3"	2"	Copper	OFSC3CP15	EA
	2" x 3"	3"	Copper	OFSC3CP3	EA
	2" x 3"	4"	Copper	OFSC3CP4	EA
	2" x 3"	5"	Copper	OFSC3CP5	EA
	3" x 4"	2"	Copper	OFSC4CP15	EA
	3" x 4"	3"	Copper	OFSC4CP3	EA
	3" x 4"	4"	Copper	OFSC4CP4	EA
	3" x 4"	5"	Copper	OFSC4CP5	EA
STEEL	2" x 3"	2"	Galvanized	OFSC3GS15	EA
	2" x 3"	3"	Galvanized	OFSC3GS3	EA
	2" x 3"	4"	Galvanized	OFSC3GS4	EA
	2" x 3"	5"	Galvanized	OFSC3GS5	EA
	3" x 4"	2"	Galvanized	OFSC4GS15	EA
	3" x 4"	3"	Galvanized	OFSC4GS3	EA
	3" x 4"	4"	Galvanized	OFSC4GS4	EA
	3" x 4"	5"	Galvanized	OFSC4GS5	EA

GUTTER ACCESSORIES: MITERS

MATERIALS & PACKAGING:

- ALUMINUM
- COPPER
- STEEL

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



K-STYLE 90°
BOX MITER

ALUMINUM	SIDE	SIZE	THICKNESS	COLOR			SKU	PACKAGING
	Inside	6"	0.032	30W	80W	AL	6INM••	20
				ADB	BL	LI		
				DB	GG	HC		
				HE	LM	BZ		
				MB	AMB	NC		
				PG	PB	RB		
				SW				
	Inside	7"	0.032	32	BR		KIS••7	20
	Inside	8"	0.032	32	BR		KIS••8	20
ALUMINUM	Outside	6"	0.032	30W	80W	AL	60TM••	20
				ADB	BL	LI		
				DB	GG	HC		
				HE	LM	SW		
				MB	AMB	NC		
				PG	PB	RB		
	Outside	7"	0.032	32	BR		KOS••7	20
	Outside	8"	0.032	32	BR		KOS••8	20



**K-STYLE 90°
BOX MITER**
CONTINUED

	SIDE	SIZE	THICKNESS	COLOR	SKU	PACKAGING
COPPER	Inside	5"	16 Oz	Copper	KISCP5	20
	Inside	6"	16 Oz	Copper	KISCP6	20
	Inside	7"	16 Oz	Copper	KISCP7	20
	Inside	8"	16 Oz	Copper	KISCP8	20
	Outside	5"	16 Oz	Copper	KOSCP5	20
	Outside	6"	16 Oz	Copper	KOSCP6	20
	Outside	7"	16 Oz	Copper	KOSCP7	20
	Outside	8"	16 Oz	Copper	KOSCP8	20
STEEL	Inside	5"	26 Ga	Galvanized	KIS265	20
	Inside	5"	26 Ga	White ☐	KISWS5	20
	Inside	5"	26 Ga	Paint Grip	KIS6G5	20
	Inside	6"	26 Ga	Galvanized	KIS266	20
	Inside	6"	26 Ga	White ☐	KISWS6	20
	Inside	7"	26 Ga	Galvanized	KIS267	20
	Inside	8"	26 Ga	Galvanized	KIS268	20
	Outside	5"	26 Ga	Galvanized	KOS265	20
	Outside	5"	26 Ga	White ☐	KOSWS5	20
	Outside	5"	26 Ga	Paint Grip	KOS6G5	20
	Outside	6"	26 Ga	Galvanized	KOS266	20
	Outside	6"	26 Ga	White ☐	KOSWS6	20
	Outside	7"	26 Ga	Galvanized	KOS267	20
	Outside	8"	26 Ga	Galvanized	KOS268	20



K-STYLE 90°
STRIP MITER

	SIDE	SIZE	THICKNESS	COLOR			SKU	PACKAGING
ALUMINUM	Inside	5"	0.024	30W	80W	AL	5ISM••	20
				ADB	BL	LI		
				DB	GG	HC		
				HE	LM	BZ		
				MB	AMB	NC		
				PG	PB	RB		
				SW				
	Inside	6"	0.024	30W	80W	AL	6ISM••	20
ALUMINUM				ADB	BL	LI		
				DB	GG	HC		
				HE	LM	BZ		
				MB	AMB	NC		
				PG	PB	RB		
				SW				
	Outside	5"	0.024	30W	80W	AL	5OSM••	20
				ADB	BL	LI		
ALUMINUM				DB	GG	HC		
				HE	LM	BZ		
				MB	AMB	NC		
				PG	PB	RB		
				SW				
	Outside	6"	0.024	30W	80W	AL	6OSM••	20
				ADB	BL	LI		
				DB	GG	HC		
COPPER				HE	LM	BZ		
				MB	AMB	NC		
				PG	PB	RB		
				SW				
COPPER	Inside	5"	16 Oz	Copper			5ISMC	20
	Inside	6"	16 Oz	Copper			6ISMC	20
	Outside	5"	16 Oz	Copper			5OSMC	20
	Outside	6"	16 Oz	Copper			6OSMC	20



K-STYLE 45°
BAY STRIP MITER



HALF-ROUND 90°
BOX MITER

	SIDE	SIZE	THICKNESS	COLOR			SKU	PACKAGING
ALUMINUM	Inside	5"	0.024	30W	80W	RB	5ISMBGS••	20
	Inside	6"	0.024	30W	80W	RB	6ISMB••	20
	Outside	5"	0.024	30W	80W	RB	5OSMBGS••	20
	Outside	6"	0.024	30W	80W	RB	6OSMB••	20
COPPER	Inside	5"	16 Oz	Copper			5ISMBC	20
	Inside	6"	16 Oz	Copper			6ISMBC	20
	Outside	5"	16 Oz	Copper			5OSMBC	20
	Outside	6"	16 Oz	Copper			6OSMBC	20
ALUMINUM	Inside	5"	0.024	HG	BA		LIS••5	20
	Inside	5"	0.024	Mill Finish			LISMF5	20
	Inside	6"	0.024	HG	BA		LIS••6	20
	Inside	6"	0.024	Mill Finish			LISMF6	20
	Outside	5"	0.024	HG	BA		LOS••5	20
	Outside	5"	0.024	Mill Finish			LOSMF5	20
	Outside	6"	0.024	HG	BA		LOS••6	20
	Outside	6"	0.024	Mill Finish			LOSMF6	20
COPPER	Inside	5"	16 Oz	Copper			LISCP5	20
	Inside	5"	16 Oz	FreedomGray™			LISFG5	20
	Inside	6"	16 Oz	Copper			LISCP6	20
	Inside	6"	16 Oz	FreedomGray™			LISFG6	20
	Inside	7"	16 Oz	Copper			LISCP7	10
	Inside	8"	16 Oz	Copper			LISCP8	10
	Outside	5"	16 Oz	Copper			LOSCP5	20
	Outside	6"	16 Oz	Copper			LOSCP6	20
STEEL	Outside	7"	16 Oz	Copper			LOSCP7	10
	Outside	8"	16 Oz	Copper			LOSCP8	10
	Inside	5"	26 Ga	Galvanized			LIS265	20
	Inside	5"	26 Ga	Paint Grip			LIS6G5	20
	Inside	6"	26 Ga	Galvanized			LIS266	20
	Inside	6"	26 Ga	Paint Grip			LIS6G6	20
	Outside	5"	26 Ga	Galvanized			LOS265	20
	Outside	5"	26 Ga	Paint Grip			LOS6G5	20
	Outside	6"	26 Ga	Galvanized			LOS266	20
	Outside	6"	26 Ga	Paint Grip			LOS6G6	20

		SIDE	SIZE	THICKNESS	COLOR	SKU	PACKAGING
 HALF-ROUND 90° STRIP MITER	ALUMINUM	Inside	6"	0.024	High Gloss White	6ISMHR80W	20
		Inside	6"	0.024	Low Gloss White	6ISMHR30W	20
		Outside	6"	0.024	High Gloss White	6OSMHR80W	20
		Outside	6"	0.024	Low Gloss White	6OSMHR30W	20
	COPPER	Inside	6"	16 Oz	Copper	6ISMHRC	20
		Outside	6"	16 Oz	Copper	6OSMHRC	20
	STEEL	Inside	6"	26 Ga	Galvalume	6ISMHRGA	20
		Outside	6"	26 Ga	Galvalume	6OSMHRGA	20
 HALF-ROUND 45° STRIP BAY MITER	COPPER	Inside	6"	16 Oz	Copper	6ISMBHRC	20
		Outside	6"	16 Oz	Copper	6OSMBHRC	20

GUTTER ACCESSORIES: END CAPS

MATERIALS & PACKAGING:

ALUMINUM

COPPER

STEEL

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



K-STYLE END CAP

	SIDE	SIZE	COLOR					SKU	PACKAGING
			30W	80W	AL	ADB	BL		
ALUMINUM	Left	5"	LI	DB	GG	HC	HE	5ENL••	50
			BZ	MB	AMB	NC	PG		
			LM	PB	RB	SW			
	Left	5"	Mill Finish					5ENLMF	50
	Left	6"	LI	DB	GG	HC	HE	6ENL••	50
			BZ	MB	AMB	NC	PG		
			LM	PB	RB	SW			
	Left	6"	Mill Finish					6ENLMF	50
	Left	7"	HG	BR	DB			ENL••7	50
	Left	8"	HG	BR	DB			ENL••8	50
	Right	5"	LI	DB	GG	HC	HE	5ENR••	50
			BZ	MB	AMB	NC	PG		
			LM	PB	RB	SW			
	Right	5"	Mill Finish					5ENRMF	50
	Right	6"	LI	DB	GG	HC	HE	6ENR••	50
			BZ	MB	AMB	NC	PG		
			LM	PB	RB	SW			
	Right	6"	Mill Finish					6ENRMF	50



K-STYLE END CAP
CONTINUED

	SIDE	SIZE	COLOR	SKU	PACKAGING
COPPER	Right	7"	HG BR DB	ENR••7	50
	Right	8"	HG BR DB	ENR••8	50
	Left	5"	Copper	ENLCP5	50
	Left	6"	Copper	ENLCP6	50
	Left	7"	Copper	ENLCP7	50
	Left	8"	Copper	ENLCP8	50
	Right	5"	Copper	ENRCP5	50
	Right	6"	Copper	ENRCP6	50
	Right	7"	Copper	ENRCP7	50
	Right	8"	Copper	ENRCP8	50
STEEL	Left	5"	Galvanized	ENL265	50
	Left	5"	Paint Grip	ENL6G5	50
	Left	5"	WS BS	ENL••5	50
	Left	6"	Galvanized	ENL266	50
	Left	6"	Paint Grip	ENL6G6	50
	Left	6"	WS BS	ENL••6	50
	Left	7"	Galvanized	ENL267	50
	Left	8"	Galvanized	ENL268	50
	Right	5"	Galvanized	ENR265	50
	Right	5"	Paint Grip	ENR6G5	50
	Right	5"	WS BS	ENR••5	50
	Right	6"	Galvanized	ENR266	50
	Right	6"	Paint Grip	ENR6G6	50
	Right	6"	WS BS	ENR••6	50
	Right	7"	Galvanized	ENR267	50
	Right	8"	Galvanized	ENR268	50



HALF-ROUND STYLE
END CAP

	SIDE	SIZE	COLOR	SKU	PACKAGING
ALUMINUM	-	5"	HG BR	CEN••5	50
	-	5"	Mill Finish	CENMF5	50
	-	6"	30W 80W AL ADB BL	CEN••6	50
			LI DB GG HC HE		
			MB AMB NC PG BZ		
			LM PB RB SW		
	-	6"	Mill Finish	CENMF6	50
	-	7"	HG BR	CEN••7	1
	-	7"	Mill Finish	CENMF7	1
	-	8"	HG BR	CEN••8	1
	-	8"	Mill Finish	CENMF8	1
	-	5"	Copper	CENC5	50
	-	5"	FreedomGray™	CENFG5	50
	-	6"	Copper	CENC6	50
COPPER	-	6"	FreedomGray™	CENFG6	50
	-	7"	Copper	CENC7	1
	-	8"	Copper	CENC8	1
STEEL	-	5"	Galvanized	CEN265	50
	-	5"	Paint Grip	CEN6G5	50
	-	6"	Galvalume	CENGA6	50
	-	6"	Galvanized	CEN266	50
	-	6"	Paint Grip	CEN6G6	50
	-	7"	Galvanized	CEN267	1

GUTTER ACCESSORIES: K-STYLE HANGERS

MATERIALS & PACKAGING:

- ALUMINUM
- COPPER
- STEEL
- BRASS


All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.

		SIZE	COLOR	SKU	PACKAGING
 3/16 GUTTER SPIKE	ALUMINUM	8"	30W BR	SPK••8	100
		7"	30W BR	SPK••7	100
	COPPER	8"	Copper	SPKCP8	100
		7"	Copper	SPKCP7	100
	STEEL	8"	WS	SPKWS8	100
		7"	WS BS	SPK••7	100
		8"	Galvanized	SPKGL8	100
		7"	Galvanized	SPKGL7	100
 SNAP STRAP FOR 40K & 41K HANGERS	ALUMINUM	-	Mill Finish	SNS-MF	50
	COPPER	-	Copper	SNS-CP	50
ROOF BAR HANGER WITH ROD & NUT	ALUMINUM	-	Mill Finish	RBRHMF	100
		-			

		SIZE	COLOR	SKU	PACKAGING
 WRAPAROUND HANGER	ALUMINUM	6"	30W BR	KWH••6	50
		5"	30W BR	KWH••5	50
	COPPER	6"	Copper	KWHCP6	50
		5"	Copper	KWHCP5	50
	STEEL	6"	WS BS	KWH••6	50
		5"	WS BS	KWH••5	50
		6"	Galvanized	KWHGL6	50
		5"	Galvanized	KWHGL5	50
 "J" BRACKET USED WITH 5", 6", 7" & 8" HI-BACK GUTTER	ALUMINUM	5"	Mill Finish	JBRACK	100
		6"			
		7"			
		8"			
 H-SERIES HIDDEN HANGER WITH SCREW FOR STRAIGHT BACK GUTTER	ALUMINUM	5"	Mill Finish	HID5S	100
		6"	Mill Finish	HID6S	75
	COPPER	5"	Copper	HIDC5S	100
		5"	Copper	HIDC5	100
		6"	Copper	HIDC6S	75
		6"	Copper	HIDC6	100
	STEEL	6"	Galvanized	HIDG6	100
 HIDDEN HANGER WITH SCREW FOR HEMBACK GUTTER	ALUMINUM	5"	Mill Finish	HID5SH	100
		6"	Mill Finish	HID6SH	75

		SIZE	COLOR	SKU	PACKAGING
 HIDDEN HANGER	ALUMINUM	5"	Mill Finish	HHMT-5	100
		6"	Mill Finish	HHMT-6	100
 HEAVY-DUTY HIDDEN HANGER FOR STRAIGHT BACK OR HEMBACK GUTTER	ALUMINUM	5"	WS BS	HHMF-5	100
		6"	WS BS	HHMF-6	100
 HIDDEN CANADIAN BAR HANGER	ALUMINUM	5"	Mill Finish	CBH-MF	50
 40K FASCIA HANGER WITH SNAP STRAP	ALUMINUM	6"	HG BA DB	40...6	50
	ALUMINUM	5"	HG BA DB	40...5	50
	COPPER	6"	Copper	40KCP6	50
	COPPER	5"	Copper	40KCP5	50
	STEEL	6"	Galvanized	40KGL6	50
	STEEL	5"	Galvanized	40KGL5	50
 41K FASCIA HANGER WITH SNAP STRAP	ALUMINUM	6"	HG BA DB	41...6	50
	ALUMINUM	5"	HG BA DB	41...5	50
	COPPER	6"	Copper	41KCP6	50
	COPPER	5"	Copper	41KCP5	50

		SIZE	COLOR	SKU	PACKAGING
 H-2 ROYAL HIDDEN HANGER	ALUMINUM	5"	Mill Finish	32005	100
 H-3 ROYAL HIDDEN HANGER	ALUMINUM	5"	Mill Finish	32010	100
 H-3 SERIES ROYAL HIDDEN HANGER	COPPER	5"	Copper	32012	100
 H-4 ROYAL HIDDEN HANGER	ALUMINUM	5"	Mill Finish	32013	100
 H-5 ROYAL HIDDEN HANGER	ALUMINUM	5"	Mill Finish	32020	100

		SIZE	COLOR	SKU	PACKAGING
 H-7 ROYAL HIDDEN HANGER WITH STAINLESS STEEL STRAP	ALUMINUM	5"	Mill Finish	32045	100
		6"	Mill Finish	32050	100
 H-8 SERIES ROYAL HIDDEN HANGER	ALUMINUM	6"	Mill Finish	32060	100
		6"	Mill Finish	32060	100
 H-9 SERIES ROYAL HIDDEN HANGER WITH STAINLESS STEEL STRAP	ALUMINUM	5"	Mill Finish	32081	100
		6"	Mill Finish	32081	100
 H-11 SERIES ROYAL HIDDEN HANGER V-HANGER WITH ALUMINUM STRAP	ALUMINUM	5"	Mill Finish	32123	100
		6"	Mill Finish	32145	100
K-STYLE SPEEDARCH HANGER	ALUMINUM	5"	Mill Finish	32123	100
		6"	Mill Finish	32145	100



FERRULE

		SIZE	COLOR	SKU	PACKAGING
	ALUMINUM	5"	Mill Finish	FERMF5	100
		6"	Mill Finish	FERMF6	100
	COPPER	5"	Copper	FERCP5	100
		6"	Copper	FERCP6	100
	STEEL	5"	Galvanized	FERGL5	100
		6"	Galvanized	FERGL6	100
	ALUMINUM	6"	Mill Finish	CB6-MF	50
		7"	Mill Finish	CB7-MF	50
		8"	Mill Finish	CB8-MF	50
	STEEL	5"	Stainless Steel	CB5-SS	50
		6"	Stainless Steel	CB6-SS	50
		7"	Stainless Steel	CB7-SS	50
		8"	Stainless Steel	CB8-SS	50
	BRASS	5"	Brass	CB5-BS	50
		6"	Brass	CB6-BS	50
		7"	Brass	CB7-BS	50
		8"	Brass	CB8-BS	50



CUSTOM CROSSBAR
HANGER

GUTTER ACCESSORIES: HALF-ROUND HANGERS

MATERIALS & PACKAGING:

ALUMINUM

COPPER

STEEL

BRASS

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.

		SIZE	COLOR	SKU	PACKAGING
 HIDDEN HANGER FOR REVERSE BEAD GUTTER ONLY	STEEL	6"	Stainless Steel	45677	50
 HIDDEN HANGER FOR REVERSE BEAD GUTTER ONLY	ALUMINUM	6"	Mill Finish	HIDHA6	100
	COPPER	6"	Copper	HIDHC6	100
 REGAL SINGLE BEAD FLANGE GUTTER ROOF STRAP HANGER	COPPER	6"	Copper	REGFC6	50
	COPPER	5"	Copper	REGFC5	50
	STEEL	5"	Galvanized	REGFG5	50



	SIZE	THICKNESS	COLOR	SKU	PACKAGING
STEEL	#10 24-Thread x 3/4"	0.125	Galvanized	BN-S	50
	#10 24-Thread x 3/4"	0.125	Brass	BN-CP	50
BRASS					



	SIZE	COLOR	SKU	PACKAGING
ALUMINUM	8"	Mill Finish	HRFMF8	50
	7"	Mill Finish	HRFMF7	50
COPPER	8"	Copper	HRFCP8	50
	7"	Copper	HRFCP7	50
STEEL	8"	Paint Grip	HRFPG8	50
	8"	Galvanized	HRFGL8	50
	7"	Galvanized	HRFGL7	50



GEM CIRCLE WITH
SPRING CLIP, NUT &
BOLT

	SIZE	COLOR	SKU	PACKAGING
ALUMINUM	6"	Mill Finish	CIRMF6	50
	5"	Mill Finish	CIRMF5	50
	6"	80W BA	CIR••6	50
	5"	80W BA	CIR••5	50
	6"	Copper	CIRCP6	50
	5"	Copper	CIRCP5	50
	6"	FreedomGray™	CIRFG6	50
	5"	FreedomGray™	CIRFG5	50
STEEL	6"	WS BS	CIR••6	50
	5"	WS BS	CIR••5	50
	6"	Galvanized	CIRCS6	50
	5"	Galvanized	CIRCS5	50
ALUMINUM	6"	Mill Finish	CCA106	50
	5"	Mill Finish	CCA105	50
	6"	80W BA	CBC••6	50
	5"	80W BA	CBC••5	50
	6"	Copper	CCC106	50
	5"	Copper	CCC105	50
	6"	Steel	CCSWS6	50
	5"	Steel	CCSWS5	50
STEEL	6"	Steel	CCS106	50
	5"	Steel	CCS105	50



#10 COMBINATION
CIRCLE & SHANK
WITH SPRING CLIP

		SIZE	COLOR	SKU	PACKAGING
 SPRING CLIP GEM CIRCLE #10 HANGER	ALUMINUM	-	30W BA	SPCL••	50
	STEEL	-	Galvanized	SPCLGL	50
	STEEL	-	Stainless Steel	SPCLFG	50
	BRASS	-	Brass	SPCLBR	50
 RIVAL HANGER	ALUMINUM	6"	Mill Finish	RIVMF6	50
	ALUMINUM	5"	Mill Finish	RIVMF5	50
	ALUMINUM	6"	30W BA	RIV••6	50
	ALUMINUM	5"	30W BA	RIV••5	50
	COPPER	6"	Copper	RIVCP6	50
	COPPER	5"	Copper	RIVCP5	50
	STEEL	6"	Galvanized	RIVGL6	50
	STEEL	5"	Galvanized	RIVGL5	50
 REGAL SINGLE BEAD BAR HANGER	ALUMINUM	8"	Mill Finish	REGMF8	50
	ALUMINUM	7"	Mill Finish	REGMF7	50
	ALUMINUM	6"	Mill Finish	REGMF6	50
	ALUMINUM	5"	Mill Finish	REGMF5	50
	COPPER	8"	Copper	REGCP8	50
	COPPER	7"	Copper	REGCP7	50
	COPPER	6"	Copper	REGCP6	50
	COPPER	5"	Copper	REGCP5	50
	STEEL	8"	Galvanized	REGGL8	50
	STEEL	7"	Galvanized	REGGL7	50
	STEEL	6"	Galvanized	REGGL6	50
	STEEL	5"	Galvanized	REGGL5	50
 REGAL DOUBLE BEAD BAR HANGER	COPPER	6"	Copper	REGDC6	50
	COPPER	5"	Copper	REGDC5	50
	STEEL	6"	Galvanized	REGDG6	50
	STEEL	5"	Galvanized	REGDG5	50

		COLOR	SKU	PACKAGING
 #1 SHANK	ALUMINUM	Mill Finish	SHMF-1	50
		HG BA	SH••-1	50
		Copper	SHCP-1	50
		FreedomGray™	SHFG-1	50
 #6 SHANK	STEEL	Galvanized	SHCS-1	50
		Copper	SHCP-6	50
		Galvanized	SHCS-6	50
		WS BS	SH••-6	50
 #8 SHANK	STEEL	Galvanized	SH-CM8	50
 #10 SHANK	STEEL	Copper	SHCP10	50
		Galvanized	SHCS10	50
		WS BA	SH••10	50
		HG BA	SH••11	50
 #11 SHANK	ALUMINUM			
		Copper	SHCP11	50
		FreedomGray™	SHFG11	50
		Galvanized	SHCS11	50
 #12 SHANK	ALUMINUM	Mill Finish	SHMF12	50
		AMB BL DBZ GG	SH••12	50
		NC BA LG HG		
		Copper	SHCP12	50
		FreedomGray™	SHFG12	50
		WS BA	SH••12	50
	STEEL	Galvanized	SHCS12	50

		COLOR	SKU	PACKAGING
#25 SHANK		Copper	SHCP25	50
		Galvanized	SHCS25	50
#30 SHANK		Mill Finish	SHMF30	50
		AMB BL DBZ GG	SH••30	50
		NC BA LG HG		
		Copper	SHCP30	50
		FreedomGray™	SHFG30	50
		Galvanized	SHCS30	50
SHANK EXTENSION		HG LG BA	SH••EX	50
		Copper	SHCPEX	50
		Galvanized	SHCSEX	50

GUTTER ACCESSORIES: END PIECES & SLIP JOINTS

MATERIALS & PACKAGING:

- ALUMINUM
- COPPER
- STEEL

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.

		SIZE	THICKNESS	COLOR	SKU	PACKAGING
 K-STYLE END PIECE	ALUMINUM	5"x3"	0.027	80W BA	KEP••5	12
	STEEL	5"x3"	26 Ga	Galvanized	29010	12
 HALF-ROUND END PIECE	ALUMINUM	5"x3"	-	80W BA	DEP••5	20
	COPPER	5"x3"	16 Oz	Copper	DECP53	20
	STEEL	5"x3"	26 Ga	Galvanized	DE2653	20
		6"x4"	26 Ga	Galvanized	DE2664	20
 K-STYLE SLIP JOINT	ALUMINUM	5"	0.014	80W BA	KSJ••5	50
	COPPER	5"	16 Oz	Copper	KSJCP5	50
	STEEL	5"	26 Ga	Galvanized	29209	30
		5"	26 Ga	Galvanized	KSJWS5	50
		5"	26 Ga	Galvanized	KSJWS5	50



HALF-ROUND
SLIP JOINT

	SIZE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	6"	-	HG BR	SCN••6	50
	5"	-	HG BR	SCN••5	50
COPPER	6"	16 Oz	Copper	SCNCP6	50
	5"	16 Oz	Copper	SCNCP5	50
STEEL	6"	26 Ga	Galvanized	SCN266	50
	5"	26 Ga	Galvanized	SCN265	50

GUTTER ACCESSORIES: OUTLETS & CONDUCTOR HEADS

MATERIALS & PACKAGING:

- ALUMINUM
- COPPER
- STEEL
- PLASTIC

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 fi lled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.

		OUTLET SIZE	THICKNESS	COLOR	SKU	PACKAGING
 K-STYLE SQUARE OUTLET WITH LOCK- IN DESIGN	ALUMINUM	2"x3"	-	White 	SKOHG3	50
		3"x4"	-	White 	SKOHG4	50
		3"x4"	-	Mill Finish	SKOMF4	50
		4"x5"	-	Mill Finish	SKOMF5	50
	COPPER	2"x3"	16 Oz	Copper	SKOCP3	50
		3"x4"	16 Oz	Copper	SKOCP4	50
		4"x5"	16 Oz	Copper	SKOCP5	50
	STEEL	2"x3"	26 Ga	Galvanized	SKO263	50
3"x4"		26 Ga	Galvanized	SKO264	50	
4"x5"		26 Ga	Galvanized	SKO265	50	
 K-STYLE OVAL OUTLET WITH LOCK- IN DESIGN	ALUMINUM	3"	-	Mill Finish	OKOMF3	50
		4"	-	Mill Finish	OKOMF4	50
	COPPER	3"	16 Oz	Copper	OKOCP3	50
		4"	16 Oz	Copper	OKOCP4	50
	STEEL	3"	26 Ga	Galvanized	OKO263	50
		4"	26 Ga	Galvanized	OKO264	50

K-STYLE WIDE
FLANGE POP RIVET
OVAL OUTLET

OUTLET SIZE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	3"	-	80W BA RBO••3	50
	3"	-	Mill Finish WKOMF3	50
	3"x4"	-	White 25453	50
	3"x4"	-	Mill Finish 21453	50
COPPER	3"	16 Oz	Copper WKOCP3	50
	3"x4"	16 Oz	Copper 53051	50
STEEL	3"x4"	26 Ga	Galvanized 49051	50
	3"x4"	26 Ga	White 4905111	50

HALF-ROUND B
STYLE OUTLET

ALUMINUM	4"	-	80W BA RBO••4	50
	3"	-	Mill Finish RBOMF3	50
	4"	-	Mill Finish RBOMF4	50
	5"	-	Mill Finish RBOMF5	25
	6"	-	Mill Finish RBOMF6	25
COPPER	3"	16 Oz	Copper RBOCP3	50
	4"	16 Oz	Copper RBOCP4	50
	5"	16 Oz	Copper RBOCP5	25
	6"	16 Oz	Copper RBOCP6	25
	3"	16 Oz	FreedomGray™ RBOFG3	50
STEEL	4"	16 Oz	FreedomGray™ RBOFG4	50
	3"	26 Ga	Galvanized RBO263	50
	4"	26 Ga	Galvanized RBO264	50
	5"	26 Ga	Galvanized RBO265	25
	6"	26 Ga	Galvanized RBO266	25

		OUTLET SIZE	THICKNESS	COLOR	SKU	PACKAGING
 HALF-ROUND WIDE FLANGE B STYLE OUTLET	ALUMINUM	3"	-	80W BA	WBO••3	50
		4"	-	80W BA	WBO••4	50
 HALF-ROUND WIDE FLANGE B-STYLE POP RIVET OUTLET	ALUMINUM	3"	-	80W BA	WBP••3	25
	COPPER	3"	16 Oz	Copper	WBPCP3	25
	STEEL	3"	26 Ga	Galvanized	WBP263	25
 ROUND SNAP-IN TUBE OUTLET	ALUMINUM	2 3 / 8"	-	-	21249	250
		2 3 / 4"	-	-	21149	250

		OUTLET SIZE	THICKNESS	COLOR	SKU	PACKAGING
 #14 CONDUCTOR HEAD WITH OVAL OUTLET	COPPER	3"	16 Oz	Copper	CHOC3	6
		4"	16 Oz	Copper	CHOC4	6
		5"	16 Oz	Copper	CHOC5	6
		6"	16 Oz	Copper	CHOC6	4
	STEEL	3"	26 Ga	Galvanized	CHOGL3	6
		4"	26 Ga	Galvanized	CHOGL4	6
		5"	26 Ga	Galvanized	CHOGL5	6
		6"	26 Ga	Galvanized	CHOGL6	4
 PLAIN CONDUCTOR HEAD WITH OUTLET	ALUMINUM	4"	26 Ga	Galvanized	CHOGL6	4
		4"	26 Ga	Paint Grip	CHFP4	6
		3" Oval	-	80W BA	CHO••3	6
		4" Oval	-	80W BA	CHO••4	4
 MOLDED UNIVERSAL CONDUCTOR HEAD	PLASTIC	5" Square	-	80W	CHO••5	3
		Universal	-	Polyethylene – UV Stabilized	CHFMUW	18



REGULAR (OPEN)
EAVE BOX

	SIZE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	3" x 12"	-	White 	EBWA32	12
	3" x 16"	-	White 	EBWA36	12
	4" x 12"	-	White 	EBWA42	12
	4" x 16"	-	White 	EBWA46	12
	3" x 12"	16 Oz	Copper	EBCP32	12
	3" x 16"	16 Oz	Copper	EBCP36	12
	4" x 12"	16 Oz	Copper	EBCP42	12
	4" x 16"	16 Oz	Copper	EBCP46	12
COPPER	3" x 12"	-	White 	CBWA36	12
	3" x 16"	-	White 	CBWA46	12
	3" x 12"	16 Oz	Copper	CBCP36	12
	3" x 16"	16 Oz	Copper	CBCP46	12



CLOSED EAVE BOX

		SIZE	THICKNESS	COLOR	SKU	PACKAGING
 SLOPED EAVE BOX	ALUMINUM	3" x 16"	-	White 	SBWA36	6
		4" x 16"	-	White 	SBWA46	6
	COPPER	3" x 16"	16 Oz	Copper	SBCP36	6
		4" x 16"	16 Oz	Copper	SBCP46	6
 OVAL FUNNEL	ALUMINUM	3"	-	80W 	FUN••3	12
		4"	-	80W 	FUN••4	12
	COPPER	3"	16 Oz	Copper	FUNCP3	12
		4"	16 Oz	Copper	FUNCP4	12
	STEEL	3"	26 Ga	Galvanized	FUNGL3	12
		4"	26 Ga	Galvanized	FUNGL4	12
 SQUARE "Y" FUNNEL	ALUMINUM	2" x 3"	-	80W 	SCY••3	10
		3" x 4"	-	80W  	SCY••4	10
 SQUARE CORRUGATED CUTOFF WITH DIVERTER	ALUMINUM	2" x 3"	-	80W  	SAC••3	10
		3" x 4"	-	80W  	SAC••4	10



DOWNSPOUT TUBE

	SIZE	THICKNESS	COLOR	SKU	PACKAGING
ALUMINUM	2"	-	White 	DSTWA2	12
	3"	-	White 	DSTWA3	12
	4"	-	White 	DSTWA4	12
COPPER	2"	-	Copper	DSTCP2	12
	3"	-	Copper	DSTCP3	12
	4"	-	Copper	DSTCP4	12
STEEL	2"	26 Ga	Galvanized	DSTGL2	12
	3"	26 Ga	Galvanized	DSTGL3	12
	4"	26 Ga	Galvanized	DSTGL4	12

GUTTER ACCESSORIES: PIPE FASTENERS & ACCESSORIES

MATERIALS & PACKAGING:

ALUMINUM

COPPER

STEEL

BRONZE

IRON


ZINC

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



BRICK HOOK
- ROUND AND
SQUARE

	SIZE	PIPE TYPE	COLOR	SKU	PACKAGING
STEEL	3"	Round	Galvanized	BPRGL3	50
	4"	Round	Galvanized	BPRGL4	50
	2" x 3"	Square	Galvanized	BPSGL3	50
	3" x 4"	Square	Galvanized	BPSGL4	50
	3"	Round	White ☐	BPRWS3	50
	4"	Round	White ☐	BPRWS4	50
	2" x 3"	Square	White ☐	BPSWS3	50
	3" x 4"	Square	White ☐	BPSWS4	50
BRONZE	4"	Round	Bronze	PWHBZ4	25



PLAIN ROUND
SICKLE HOOK



STAMPED SICKLE
HOOK FOR WOOD

SIZE	PIPE TYPE	COLOR	SKU	PACKAGING
3"	Round	Galvanized	PWHGL3	50
4"	Round	Galvanized	PWHGL4	50
2" x 3"	Square	Galvanized	SSWGL3	50
3" x 4"	Square	Galvanized	SSWGL4	50
3"	Round	White 	PWHWS3	50
3"	Round	Royal Brown 	PBRSH3	50
4"	Round	White 	PWHWS4	50
4"	Round	Royal Brown 	PBRSH4	50
2" x 3"	Square	White 	SSWWS3	50
3" x 4"	Square	White 	SSWWS4	50
3" x 4"	Square	Royal Brown 	SHBRA4	50
3"	Plain Round	Copper	HHPRC3	50
4"	Plain Round	Copper	HHPRC4	50
5"	Plain Round	Copper	HHPRC5	50
3"	Round Corrugated	Copper	HHRCC3	50
4"	Round Corrugated	Copper	HHRCC4	50
5"	Round Corrugated	Copper	HHRCC5	50
3"	Plain Round	FreedomGray™	HHPRZ3	50
4"	Plain Round	FreedomGray™	HHPRZ4	50
3"	Round Corrugated	FreedomGray™	HHRCZ3	50
4"	Round Corrugated	FreedomGray™	HHRCZ4	50



PLAIN ROUND &
ROUND CORRUGATED
HINGED DOWNSPOUT
HOOK

		SIZE	PIPE TYPE	COLOR	SKU	PACKAGING
 SQUARE SIDE FASTEN HOOK	COPPER	2" x 3"	Square	Plated Zinc Alloy	SFHC23	10
		3" x 4"	Square	Plated Zinc Alloy	SFHC34	10
	ZINC	3" x 4"	Square	Zinc	SFHZ34	10
 SQUARE WIRED HOOK FOR WOOD / BRICK	COPPER	2" x 3"	Square	Plated Zinc Alloy	WFHC23	50
		3" x 4"	Square	Plated Zinc Alloy	WFHC34	50
	ZINC	2" x 3"	Square	Zinc	WFHZ23	50
		3" x 4"	Square	Zinc	WFHZ45	25
 RACK & KEY	ALUMINUM	N/A	Rack & Key	80W BA	RAK...	50
		N/A	Rack & Key	Mill Finish	RAK-MF	50
	COPPER	N/A	Rack & Key	Copper	RAK-CP	50
		N/A	Rack & Key	FreedomGray®	RAK-FG	50
	STEEL	N/A	Rack & Key	Galvanized	RAK-CS	50
 KEY ONLY	ALUMINUM	N/A	Key Only	Mill Finish	KEY-MF	50
	BRONZE	N/A	Key Only	Bronze	KEY-BR	50
 #0 MASONRY DRIVE REQUIRES RACK & KEY 2 DRIVES RECOMMENDED PER 10' OF DOWNSPOUT	STEEL	#0	N/A	Galvanized	DRCS-O	50
		#0	N/A	Bronze	DR-BR0	50

		SIZE	COLOR	SKU	PACKAGING
 WOOD DRIVE #4	COPPER	#4	Copper	DRCP-4	50
	STEEL	#4	Galvanized	DRCS-4	50
 WOOD DRIVE #5	IRON	#5	Malleable	DR-CM5	50
 WOOD DRIVE #6	ALUMINUM	#6	80W BA	DR...6	50
		#6	Mill Finish	DRMF-6	50
	COPPER	#6	Copper	DRCP-6	50
	STEEL	#6	Galvanized	DRCS-6	50
		#6	White	DRWS-6	50



PIPE CLIP

	SIZE	COLOR	SKU	PACKAGING
ALUMINUM	2" x 3"	30W 80W AL	3PC••	100
		ADB BL LI		
		DB GG HC		
		HE LM BZ		
		MB AMB NC		
		PG PB RB		
		SW		
	3" x 4"	30W 80W AL	4PC••	50
		ADB BL LI		
		DB GG HC		
		HE LM BZ		
		MB AMB NC		
		PG PB RB		
		SW		
COPPER	2" x 3"	Copper	3PCC	50
	3" x 4"	Copper	4PCC	50
ALUMINUM	#31	80W BA	PC••31	50
	#32	White	7065	50
	#32	Brown	7060	50
	#32	Mill Finish	7070	50
COPPER	#31	Copper	PCCP31	50



PIPE CLEAT

	SIZE	COLOR	SKU	PACKAGING
 UNIVERSAL CONDUCTOR BAND	-	80W LG BA DB	D••12CB	50
		Mill Finish	MF12CB	50
	#5	Copper	CP12CB	50
	#6	Galvanized	GA12CB	50
	#6	80W BA	••12CB	50
 METCO ORNAMENTAL CONDUCTOR BAND	3"	HG DB BR	MET••3	50
	4"	HG DB BR	MET••4	50
	3"	Copper	METCP3	50
	4"	Copper	METCP4	50
	3"	Galvanized	METGA3	50
	4"	Galvanized	METGA4	50
	2" x 3"	30W 80W AL ADB BL LI DB HB HC LM BZ NC MB AMB RB SW PB	OPB••	100
	2" x 3"	Copper	OPBC	100
 ORNAMENTAL PIPE BAND	2" x 3"	30W 80W AL ADB BL LI DB HB HC LM BZ NC MB AMB RB SW PB	OPB••	100
	2" x 3"	Copper	OPBC	100



DIAMOND PIPE BAND

SIZE	COLOR	SKU	PACKAGING
ALUMINUM	-	DPB••	100
	30W 80W AL		
	ADB BL LI		
	DB GG HC		
	HE LM BZ		
	MB AMB NC		
	PG PB RB		
	SW		
COPPER	-	DPBC	100
COPPER	Copper		
STEEL	-	29029	100
	Galvanized		
ALUMINUM	3"	White  JR80W3	50
	4"	White  JR80W4	50
	3"	Brown  JRBRN3	50
	4"	Brown  JRBRN4	50



PIPE FASTENER



WIRE STRAINER

	SIZE	COLOR	SKU	PACKAGING
ALUMINUM	2"	Mill Finish	RWSMF2	50
	3"	Mill Finish	RWSMF3	50
	4"	Mill Finish	RWSMF4	50
	5"	Mill Finish	RWSMF5	20
	6"	Mill Finish	RWSMF6	20
	6"	Mill Finish	RWSMF6	20
COPPER	2"	Copper	RWSCP2	50
	3"	Copper	RWSCP3	50
	4"	Copper	RWSCP4	50
	5"	Copper	RWSCP5	20
	6"	Copper	RWSCP6	20
	6"	Copper	RWSCP6	20
STEEL	2"	Galvanized	RWSGL2	50
	3"	Galvanized	RWSGL3	50
	4"	Galvanized	RWSGL4	50
	5"	Galvanized	RWSGL5	20
	6"	Galvanized	RWSGL6	20
	6"	Galvanized	RWSGL6	20

		SIZE	COLOR	SKU	PACKAGING
 UNIVERSAL LEAF FILTER EXPANDABLE	ALUMINUM	3" to 4"	Mill Finish	21248	24
	STEEL	3" to 4"	Galvanized	29448	24
 K-STYLE PERFORATED STRAINER	ALUMINUM	5"	Mill Finish	74065	50
TIN PLATE ROOFING BUTTON	ALUMINUM	1-5/8"	Mill Finish	5030	25
 GUTTER WEDGE	ALUMINUM	2"	White 	93400	100
		2"	Brown 	93300	100
 POP RIVET	ALUMINUM	#42 1-1/2"	 	A42A••	1000
		#42 1-1/2"	               	PR••BX	1
		#44 1-5/8"	  	A44A••	1000
		#42 1-1/2"	Copper	A42CPB	500
		#44 1-5/8"	Copper	A44CPB	500
	COPPER	#42 1-1/2"	Copper	A42CPB	500
			#44 1-5/8"	Copper	A44CPB

		SIZE	COLOR	SKU	PACKAGING																					
 POP RIVET CONTINUED	STEEL	#42 1-1/2"	Galvanized	A42GLB	500																					
		#44 1-5/8"	Stainless Steel	A42SSB	1																					
 ZINC-PLATED STEEL ZIP SCREW	STEEL	#8 1/2"	<table><tr><td>30W</td><td>80W</td><td>AL</td></tr><tr><td>ADB</td><td>BL</td><td>LI</td></tr><tr><td>DB</td><td>GG</td><td>HC</td></tr><tr><td>HE</td><td>LM</td><td>BZ</td></tr><tr><td>MB</td><td>AMB</td><td>NC</td></tr><tr><td>PG</td><td>PB</td><td>RB</td></tr><tr><td>SW</td><td></td><td></td></tr></table>	30W	80W	AL	ADB	BL	LI	DB	GG	HC	HE	LM	BZ	MB	AMB	NC	PG	PB	RB	SW			Z12••BX	1
		30W	80W	AL																						
ADB	BL	LI																								
DB	GG	HC																								
HE	LM	BZ																								
MB	AMB	NC																								
PG	PB	RB																								
SW																										
 TRIM NAIL	ALUMINUM	1-1/4"	<table><tr><td>W</td><td>AL</td><td>ADB</td></tr><tr><td>BL</td><td>LI</td><td>DBZ</td></tr><tr><td>GG</td><td>HC</td><td>HE</td></tr><tr><td>LM</td><td>RE</td><td>MB</td></tr><tr><td>AMB</td><td>NC</td><td>PG</td></tr><tr><td>PB</td><td>RB</td><td>SW</td></tr><tr><td>BZ</td><td>TG</td><td>WH</td></tr></table>	W	AL	ADB	BL	LI	DBZ	GG	HC	HE	LM	RE	MB	AMB	NC	PG	PB	RB	SW	BZ	TG	WH	114TN••	1/4 pound per box
		W	AL	ADB																						
		BL	LI	DBZ																						
	GG	HC	HE																							
LM	RE	MB																								
AMB	NC	PG																								
PB	RB	SW																								
BZ	TG	WH																								
		1-1/4"	White 	114WAW	1																					
	COPPER	1-1/4"	Copper	67003PK	12																					
 FLASHMATE®	CLEAR	-	Clear	85228	12																					
 SEAMERMATE®	CLEAR	-	Clear	85148	12																					



TOUCH-UP PAINT

PAINT

SIZE	COLOR			SKU	PACKAGING
12 Oz	30W	80W	AL	13TUP••	12
	ADB	BL	LI		
	DB	GG	HC		
	HE	LM	NC		
	MB	AMB	RB		
	PG	PB	TG		
	SW	BZ			



NO-CAULK PIPE FLASHING

ALUMINUM

1-1/2"	Mill Finish	OMFN15	12
2"	Mill Finish	OMFN20	12
3"	Mill Finish	85063	12
4"	Mill Finish	85064	12

GUTTERS: EURACRAFT

MATERIALS & PACKAGING:

- COPPER
- STAINLESS STEEL

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.

		SIZE	THICKNESS	LENGTH	SKU	PACKAGING
 GUTTER	COPPER	5"	16 Oz	20'	L20E65	5
		6"	16 Oz	20'	L20E66	5
		7.56"	18 Oz	20'	L20EC75	5
 SMOOTH ROUND WELDED DOWNSPOUT	COPPER	3.1"	16 Oz	10'	DSPRPE63	5
		4"	16 Oz	10'	DSPRPE64	5
		4.7"	18 Oz	10'	DSPRPE8C47	5
 SMOOTH ELBOW	COPPER	SIZE	THICKNESS	DEGREE	SKU	PACKAGING
		3.1"	16 Oz	40° - 1, 72° - 3	PR_EC3	25
		4"	16 Oz	40° - 1, 72° - 3	PR_EC4	25
		4.7"	18 Oz	40° - 1, 72° - 3	PR_EC47	15
 FASCIA HANGER WITH SPRING TAB	COPPER	SIZE			SKU	PACKAGING
		5"			GFBHGREC5	25
		6"			GFBHGREC6	25
		7.56"			GFBHGREC75	25

		SIZE	SKU	PACKAGING
 J ROOF HANGER WITH SPRING TAB	COPPER	5"	GRFHGREC5	25
		6"	GRFHGREC6	25
		7.56"	GRFHGREC75	10
 PLUG-IN OUTLET NO SOLDER	COPPER	5" x 3"	PINOUT53	25
		6" x 4"	PINOUT64	25
		7.56" x 4"	PINOUT754	25
		7.56" x 4.7"	PINOUT7547	25
 GUTTER OUTLET SOLDER REQUIRED	COPPER	3"	RBOCP3	50
		4"	RBOCP4	50

		SIZE	SIDE	SKU	PACKAGING
 STANDARD END CAP	COPPER	5"	Left	CENLHEC5	50
		5"	Right	CENRHEC5	50
		6"	Left	CENLHEC6	50
		6"	Right	CENRHEC6	50
		7.56"	Left	CENLHEC75	50
		7.56"	Right	CENRHEC75	50
 QUARTER BALL END CAP	COPPER	5"	Universal	CENBALL5	25
		6"	Universal	CENBALL6	25
		7.56"	Universal	CENBALL75	25
STANDARD END CAP WITH 2' GUTTER	COPPER	5"	Left	EP5LHEC	50
		5"	Right	EP5RHEC	50
		6"	Left	EP6LHEC	1
		6"	Right	EP6RHEC	1

		SIZE	SIDE	SKU	PACKAGING
QUARTER BALL END CAP WITH 2' GUTTER	COPPER	5"	Left	EP5BLHEC	1
		5"	Right	EP5BRHEC	1
		6"	Left	EP6BLHEC	1
		6"	Right	EP6BRHEC	1
		7.56"	Left	EP756BLHEC	1
		7.56"	Right	EP756BRHEC	1
		SIZE		SKU	PACKAGING
	COPPER	5"		LISSMEC5	5
		6"		LISSMEC6	5
		7.56"		LISSMEC75	5
SEAMLESS MITER INSIDE					
	COPPER	5"		LOSSMEC5	5
		6"		LOSSMEC6	5
		7.56"		LOSSMEC75	5
SEAMLESS MITER OUTSIDE					
	COPPER	3.1"		DSCONNEC3	50
		4"		DSCONNEC4	50
		4.7"		DSCONNEC47	50
DOWNSPOUT CONNECTOR					
	COPPER	4" to 3.1"		REDUC10076	10
DOWNSPOUT REDUCER					

		SIZE	SKU	PACKAGING
 SWAN NECK OFFSET	COPPER	3.1"	PROF23EC3	25
		4"	PROF23EC4	25
		4.7"	PROF23EC47	10
 RAINWATER PIPE CLEANOUT	COPPER	3.1"	CLNOUT3	20
		4"	CLNOUT4	10
 DOWNSPOUT BRACKET WITH BRASS SPIKE	COPPER	3.1"	DSHNGBSPK3	25
		4"	DSHNGBSPK4	25
 DOWNSPOUT BRACKET WITH M10 X 3.54" LONG SCREW THREAD	COPPER	3.1"	DSHNGBSCR3	25
		4"	DSHNGBSCR4	25
		4.7"	DSHNGBSCR47	50
 PREMIUM GUTTER CONNECTOR	COPPER	5"	GSPRCONEC5	10
		6"	GSPRCONEC6	10
 DOWNSPOUT STRAINER	COPPER	3.1"	DSSTRNEC3	25
		4"	DSSTRNEC4	25

		SKU	PACKAGING
		HGRBEND	1
 HANGER BENDER TOOL	COPPER		

		SIZE	SKU	PACKAGING
		4"	EXPANTOOL4	1
 DOWNPIPE EXPANDER	COPPER	4.7"	EXPANTOOL47	1

		SIZE	LENGTH	SKU	PACKAGING
		5"	6.5'	LEAFGDEC5	10
 EURACRAFT GUTTER GUARD	STAINLESS STEEL	6"	6.5'	LEAFGDEC6	10

GUTTER ACCESSORIES: GUTTER COILS

MATERIALS & PACKAGING:

ALUMINUM

COPPER

Gutter Coil - Sold in 350 lb coils. Skid Quantity: 11.75" = 3 rolls / skid, 15" = 2 rolls / skid.


Mini Gutter Coil - Sold in 150 ft coils.

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_) and color code (••). For example: K_ _ •• 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.


Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



SIZE	THICKNESS	COLOR			SKU
10"	0.032	1515	2020		GC320100000••••
11.5"	0.032	1515	2020		GC320115000••••
11.75"	0.027	28	33	46	GC270117500••10
		51	53	59	
		69	79	85	
11.75"	0.032	0033	0051		GC320117500••••
		0059	0220		
		0230	1810		
		2710	2810		
		4610	5110		
		5910	6910		
		7910	8510		
		5310			
11.875"	0.027	11	15	20	GC270118750••10
		27	28	35	
		51	59		
11.875"	0.032	1515	2020		GC320118750••••
15"	0.027	15	18	27	GC270150000••10
		28	46	51	
		53	59	69	
		79	85		
15"	0.027	22	33		GC27015000000••0
15"	0.027	33	51	59	GC270150000000••



ALUMINUM	SIZE	THICKNESS	COLOR	SKU
	15"	0.032	00330051 00590220 02301810 27102810 46105110 59106910 79108510 5310	GC320150000....
	10"	0.0216	Copper	C02161000001603
	11.75"	0.0216	Copper	C02161175001603
	11.75"	0.0270	Copper	C02701175001603
	11.875"	0.0216	Copper	C02161187501603
	11.875"	0.0216	Copper	C021611875000003
	13.75"	0.0216	Copper	C02161375001603
	15"	0.0216	Copper	C02161500001603
	15"	0.0270	Copper	C027015000000003
COPPER	24"	0.0216	Copper	C021624000000003




ALUMINUM	11.75"	0.027	30W80WADB ALAMBBL BUBABDB GCGBHC LI LMMB NC PBPG SW	MN27.. _ _
	11.75"	0.032	30W80WADB ALAMBBL BUBABDB GCGBHC LI LMMB NC PBPG SW	MN32.. _ _



QUALITY PRODUCTS SINCE 1874

PROVIDING CUSTOMERS WITH QUALITY PRODUCTS

Berger strives to provide customers with quality products and support.



BERGER®

GUTTER PROTECTION

gutter guards • rainwater diversion

GUTTER PROTECTION

Berger offers a large selection of gutter protection systems that help eliminate clogged gutters and downspouts. Gutter guards and covers are available for use with K-style and Half-Round gutters. Styles include drop-in, hinged, lock-on and snap-in models.

- Available in painted aluminum, copper, painted steel, galvanized steel, paint grip steel and PVC
- Installs on new or existing gutter systems

GUTTER GUARDS

MATERIALS & PACKAGING:

ALUMINUM

COPPER

STEEL

PVC

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hembra K-style gutter.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



TITANGUARD™

	WIDTH	LENGTH	STYLE	COLOR	SKU	PACKAGING
ALUMINUM	5"	4'	Flat	Mill Finish	GGTGF5M04	25
	5"	10'	Flat	Mill Finish	GGTGF5M10	25
	6"	4'	Flat	Mill Finish	GGTGF6M04	25
	6"	10'	Flat	Mill Finish	GGTGF6M10	25
	5"	4'	Step Up	Mill Finish	GGTGS5M04	25
	5"	10'	Step Up	Mill Finish	GGTGS5M10	25
	6"	4'	Step Up	Mill Finish	GGTGS6M04	25
	6"	10'	Step Up	Mill Finish	GGTGS6M10	25

		WIDTH	LENGTH	STYLE	COLOR	SKU	PACKAGING
 TITANGUARD™ CONTINUED	ALUMINUM	5"	4'	Flat	W K	GGTGF5•04	25
		5"	10'	Flat	W K	GGTGF5•10	25
		6"	4'	Flat	W K	GGTGF6•04	25
		6"	10'	Flat	W K	GGTGF6•10	25
		5"	4'	Step Up	W K	GGTGS5•04	25
		5"	10'	Step Up	W K	GGTGS5•10	25
		6"	4'	Step Up	W K	GGTGS6•04	25
		6"	10'	Step Up	W K	GGTGS6•10	25
 K-STYLE DROP-IN GUTTER GUARD	ALUMINUM	5"	3'	Drop-in	Mill Finish	GG5KDI	50
		6"	3'	Drop-in	Mill Finish	GG6KDI	50
		5"	4'	Drop-in	Mill Finish	GG5KDI-4	50
		6"	4'	Drop-in	Mill Finish	GG6KDI-4	50
	COPPER	5"	3'	Drop-in	Copper	GG5KCDI	25
		6"	3'	Drop-in	Copper	GG6KCDI	25
		5"	4'	Drop-in	Copper	GG5KCDI4	25
		6"	4'	Drop-in	Copper	GG6KCDI4	25
 K-STYLE HINGED GUTTER GUARD	ALUMINUM	5"	3'	Hinged	Mill Finish	GGAK-5	75
		6"	3'	Hinged	Mill Finish	GGAK-6	75
	COPPER	5"	3'	Hinged	Copper	GGCK-5	25
		6"	3'	Hinged	Copper	GGCK-6	25
	STEEL	5"	3'	Hinged	Galvanized	GGGLK5	75
		6"	3'	Hinged	Galvanized	GGGLK6	75
		7"	3'	Hinged	Galvanized	GGGLK7	50

GUTTER PROTECTION

		WIDTH	LENGTH	STYLE	COLOR	SKU	PACKAGING
 HINGED GUARD CLIP (8 CLIPS)	STEEL	-	-	K-Style	Stainless Steel	85341	25
		-	-	Half-Round	Stainless Steel	RGW34	1
 K-STYLE LOCK-ON GUTTER GUARD	STEEL	4'	5"	Lock-On	Black	GG5KKDI	25
		4'	6"	Lock-On	Black	GG6KKDI	25
		4'	5"	Lock-On	Black	GG5KK-DIFM	25
		4'	6"	Lock-On	Black	GG6KK-DIFM	25
 K-STYLE SOLID SNAP-IN PLASTIC GUTTER COVER	PVC	5" & 6"	4'	Snap-In	White	85304BX	25
		5" & 6"	4'	Snap-In	Clay	85314BX	25
 K-STYLE SNAP-IN PLASTIC GUTTER COVER	PVC	5" & 6"	3'	With Mesh	White	86670	1
		5" & 6"	3'	With Mesh	Brown	86679	25
		5" & 6"	3'	Without Mesh	White	85470	50
		5" & 6"	3'	Without Mesh	Brown	85479	50
		5" & 6"	3'	Without Mesh	Black	85475	50

		WIDTH	LENGTH	STYLE	COLOR	SKU	PACKAGING
 HALF-ROUND HINGED GUTTER GUARD	ALUMINUM	5"	3'	Hinged	Mill Finish	GGAR-5	50
		6"	3'	Hinged	Mill Finish	GGAR-6	50
	COPPER	5"	3'	Hinged	Copper	GGCR-5BX	25
		6"	3'	Hinged	Copper	GGCR-6BX	25
	STEEL	5"	3'	Hinged	Galvanized	GGGR-5	50
		6"	3'	Hinged	Galvanized	GGGR-6	50
 GUSHER GUARD	ALUMINUM	-	-	Hinged	White 	25074BX	250 pcs / box
		-	-	Hinged	Brown 	2507419BX	250 pcs / box
		-	-	Hinged	White 	25074	3 pcs / pack 10 packs / carton
		-	-	Hinged	Brown 	2507419	10

RAINWATER DIVERSION

MATERIALS & PACKAGING:

PLASTIC

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for gutter products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



FLEX-A-SPOUT®

	SIZE	LENGTH	STYLE	COLOR	SKU	PACKAGING
PLASTIC	Universal	25" up to 55"	-	Green	85011	12
	Universal	25" up to 55"	-	Stone	85014	12
	Universal	25" up to 55"	-	White	85010	12
	Universal	25" up to 55"	-	Brown	85019	12
PLASTIC	4"	8'	Solid	Black	54021	16
	4"	12'	Solid	Black	51710	12
	4"	25'	Solid	Black	51110	6
	4"	25'	Solid	Black	52110D	3
	4"	50'	Solid	Black	52001	1
	4"	50'	Solid	Black	52011	4
	4"	8'	Perforated	Black	54022	16
	4"	12'	Perforated	Black	51910	12
	4"	25'	Perforated	Black	51310	6
	4"	50'	Perforated	Black	52002	1
	4"	50'	Perforated	Black	52012	4
	4"	25'	Perforated with Sock	Black	51510	6
	4"	25'	Perforated with Sock	Black	52510D	3
	4"	50'	Perforated with Sock	Black	52003	1
	4"	50'	Perforated with Sock	Black	52013	4



FLEX-DRAIN®

		SIZE	STYLE	COLOR	SKU	PACKAGING
 DOWNSPOUT ADAPTER	PLASTIC	2" x 3" x 4"	Solid	Black	ADP53202	10
		2" x 3" x 3"	Solid	Black	ADP53602	8
		3" x 4" x 4"	Solid	Black	ADP53102	10
 COUPLER	PLASTIC	4"	Solid	Black	55020	20
		4"	Solid	Black	57010	10
 FLEXIBLE ELBOW / CONNECTOR	PLASTIC	4"	Solid	Black	ADP53702	4
		4"	Solid	Black	ADP53302	16
 FLEXIBLE T / Y	PLASTIC	4"	Solid	Black	ADP53302	16
 UNIVERSAL PIPE CONNECTOR	PLASTIC	4"	Solid	Black	ADP53302	16

GUTTER PROTECTION


 CATCH-A-RAINDROP	PLASTIC	SIZE	COLOR	SKU	PACKAGING
		2" x 3"	White	37042	6
 FLEX-ELBOW	PLASTIC	3" x 4"	White	37043	4
		2" x 3"	White	37084	24
		2" x 3"	Brown	3708419	24



PROVIDING PRODUCTS SINCE 1874

SUPPORTING OUR CUSTOMERS SINCE 1874

Berger has been supporting our customers since 1874 with quality and reliable products.



BERGER®

SNOW RETENTION SYSTEMS

snow guards • mullane snow guards • snow rail systems

SNOW RETENTION SYSTEMS

Berger offers the most extensive selection of snow guards for any type of residential or commercial roof, including metal, slate, shingle and cedar. They are designed to reduce large sheets of snow and ice from avalanching off a sloped roof and causing extensive damage to property and pedestrians.

- Helps avoid costly insurance claims due to avalanching snow and ice
- Minimizes ice damming at roof's edge
- Reduces damage to gutters

SNOW GUARDS

MATERIALS & PACKAGING:

ALUMINUM

COPPER

STEEL

BRONZE

IRON

PLASTIC

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for snow products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.




#1 SNOW GUARD FOR
STANDING SEAM








#100 SNOW GUARD
ASSEMBLY FOR FLAT
METAL ROOF SURFACES

	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
BRONZE	Series #1	-	-	Bronze	SGBR-1	50
	Series #1	-	-	Galvanized Malleable	SGML-1	100
IRON	Series #100	-	-	Copper Shoe	SG-CPS	50
COPPER	Series #100	-	-	Stainless Steel	SG-SSS	50
STEEL						

		STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 #100 SNOW GUARD ASSEMBLY FOR SLATE & ASPHALT SHINGLED ROOFS	COPPER	Series #100	-	-	Copper Shoe / Brass Strap	SGC100	50
		Series #100	-	-	Galvanized	SGG100	50
		Series #100	-	-	Stainless Steel	SGS100	50
 #20 SNOW GUARD FOR METAL CORRUGATED ROOF SURFACES	BRONZE	Series #20	-	-	Bronze	SGBR-2	50
		Series #20	-	-	Bronze	SGBR20	100
	IRON	Series #20	-	-	Galvanized Malleable	SGML-2	50
		Series #20	-	-	Galvanized Malleable	SGML20	100
 #95 SNOW GUARD ASSEMBLY FOR SLATE ROOFS	ALUMINUM	Series #95	-	-	Mill Finish	SGAL95	30
	BRONZE	Series #95	-	-	Bronze	SGBR95	30
	IRON	Series #95	-	-	Galvanized Malleable	SGML95	30
 AP SNOW GUARD SERIES	ALUMINUM	AP-400	-	-	BL CR HG DB FG BZ MB CG SG	AP400••	50
		AP-400	-	-	Med Gloss Black Primer	AP400E	50
		AP-400	-	-	Mill Finish	AP400M	50
		AP-516	-	-	BL CR HG DB FG BZ MB CG SG	AP516••	50
		AP-516	-	-	Med Gloss Black Primer	AP516E	50
		AP-516	-	-	Mill Finish	AP516M	50
		Blizzard 200	-	-	Copper	SGCP200	50
BLIZZARD 200	STEEL	Blizzard 200	-	-	Stainless Steel	SGSS200	50

SNOW RETENTION SYSTEMS

	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 RT CLEAR SNOW GUARD	Structural Rib	-	-	Clear	RTCLSR	50
	Surface Mount	-	-	Clear	RTCLSM	50
 RT MINI CLEAR SNOW GUARD	Structural Rib	-	-	Clear	RTMINI	100
 RT® SNOW GUARD SERIES	RT-200	-	-	BL CR HG DB FG BZ MB CG SG	RT200••	100
	RT-200	-	-	Med Gloss Black Primer	RT200E	100
	RT-200	-	-	Mill Finish	RT200M	100
	RT-300	-	-	BL CR HG DB FG BZ MB CG SG	RT300••	100
	RT-300	-	-	Med Gloss Black Primer	RT300E	100
	RT-300	-	-	Mill Finish	RT300M	100
	RT-200	-	-	Bronze	RT200B	50
	RT-300	-	-	Bronze	RT300B	50
	SG-1	-	-	E-Coat Epoxy Primer	SG-1EBK	50
	SG-1	-	-	Mill Finish	SG-1MF	50
 SG-1 SNOW MEISTER SNOW GUARD FOR DOUBLE LOCK STANDING SEAM ROOFS	SG-1	-	-	Bronze	SG-1PBZ	50

		STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 SL-1 SNOW MEISTER SNOW GUARD FOR SINGLE LOCK STANDING SEAM ROOFS	ALUMINUM	SL-1	-	-	E-Coat Epoxy Primer	SL-1EBK	50
		SL-1	-	-	Mill Finish	SL-1MF	50
 SM SNOW GUARD SERIES	ALUMINUM	Surface Mount	-	-	Med Gloss Black Primer	SMEASG	50
		Surface Mount	-	-	Mill Finish	SMMFSG	50
 PRO-100 SNOW GUARD ASSEMBLY FOR SLATE & ASPHALT SHINGLED ROOFS	STEEL	Pro-100	-	-	Galvanized	SGGP100	50
		Pro-100	-	-	Stainless Steel	SGSP100	50
 LOOP THE LOOP SNOW GUARD FOR SHINGLE, SLATE & CEDAR SHAKE ROOFS	COPPER	Loop The Loop	-	-	Copper	SGLLC1	300
 MODIFIED #100 SNOW GUARD FOR ASPHALT SHINGLED ROOFS	COPPER	Modified #100	-	-	Copper	SGC100HP	12
	STEEL	Modified #100	-	-	Stainless Steel	SGS100HP	12

MULLANE SNOW GUARDS

MATERIALS & PACKAGING:


- ALUMINUM
- STEEL
- BRASS
- BRONZE
- IRON
- PLASTIC

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for snow products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.

	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 MULLANE #100 SERIES FOR NAILING ON NEW INSTALLATIONS	Series #100	-	-	Bronze	100S-AS	100
	Series #100	-	-	Bronze	100S-NA	100
 MULLANE #100 SERIES FOR SOLDERING	Series #100	-	-	Bronze	100CPSM	100
	Series #100	-	-	Bronze	100S-RH	100
 MULLANE #200 SERIES FOR NAILING ON NEW INSTALLATIONS	Series #200	-	-	Bronze	200S-AS	100
	Series #200	-	-	Bronze	200S-NA	100

		STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 MULLANE #200 SERIES FOR SOLDERING	BRONZE	Series #200	-	-	Bronze	200CPSM	50
 MULLANE #200 SERIES WITH HOOK FOR TILE ROOFS	BRONZE	Series #200	-	-	Bronze	200CPT	50
 MULLANE #200 SERIES WITH RETRO-HOOK FOR EXISTING SLATE ROOFS	BRONZE	Series #200	-	-	Bronze	200S-RH	100
 MULLANE #300 SERIES FOR SOLDERING	BRONZE	Series #300	-	-	Bronze	300CPSM	100
 MULLANE #300 SERIES PAD STYLE FOR NAILING ON NEW INSTALLATIONS	BRONZE	Series #300	-	-	Bronze	300S-AS	80
 MULLANE #300 SERIES WITH RETRO-HOOK FOR EXISTING SLATE ROOFS	BRONZE	Series #300	-	-	Bronze	300S-NA	80
 MULLANE #300 SERIES WITH RETRO-HOOK FOR EXISTING SLATE ROOFS	BRONZE	Series #300	-	-	Bronze	300S-RH	80

	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 MULLANE #400 CLASSIC SERIES, EAGLE DESIGN	Series #400	-	-	Bronze	400EGLBRZ	50
	Series #400	-	-	Bronze	400FDLBRZ	50
	Series #400	-	-	Bronze	400LEAFBRZ	50
 MULLANE FITRITE #121 PROTECTOR GALVANIZED FENCE BRACKET (FOR 2 PIPES)	Series #121	10"	14"	Galvanized Malleable	FR121ML10X14	1
	Series #121	10"	16"	Galvanized Malleable	FR121ML10X16	1
	Series #121	10"	18"	Galvanized Malleable	FR121ML10X18	1
	Series #121	12"	16"	Galvanized Malleable	FR121ML12X16	1
	Series #121	12"	18"	Galvanized Malleable	FR121ML12X18	1
	Series #121	6"	12"	Galvanized Malleable	FR121ML6X12	1
	Series #121	6"	16"	Galvanized Malleable	FR121ML6X16	1
	Series #121	7"	12"	Galvanized Malleable	FR121ML7X12	1
	Series #121	8"	16"	Galvanized Malleable	FR121ML8X16	1
	Series #121	9"	16"	Galvanized Malleable	FR121ML9X16	1



MULLANE FITRITE #122
PROTECTOR BRONZE
FENCE BRACKET
(FOR 2 PIPES)

STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
Series #122	10"	16"	Bronze	FR122BR10X16	1
Series #122	10"	18"	Bronze	FR122BR10X18	1
Series #122	10"	20"	Bronze	FR122BR10X20	1
Series #122	12"	16"	Bronze	FR122BR12X16	1
Series #122	12"	18"	Bronze	FR122BR12X18	1
Series #122	12"	20"	Bronze	FR122BR12X20	0
Series #122	14"	22"	Bronze	FR122BR14X22	0
Series #122	6"	12"	Bronze	FR122BR6X12	1
Series #122	6"	16"	Bronze	FR122BR6X16	1
Series #122	8"	16"	Bronze	FR122BR8X16	1
Series #122	8"	18"	Bronze	FR122BR8X18	1
Series #122	9"	16"	Bronze	FR122BR9X16	1

BRONZE



MULLANE FITRITE #124
MINI-PROTECOT FENCE
BRACKET (FOR 2 PIPES)



MULLANE FITRITE #131
GALVANIZED IRON FENCE
BRACKET (FOR 3 PIPES)

	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
BRONZE	Series #124	2"	12"	Bronze	FR124BRZ	1
	Series #124	2"	12"	Galvanized Malleable	FR124ML	1
IRON	Series #131	10"	14"	Galvanized Malleable	FR131ML10X14	1
	Series #131	10"	16"	Galvanized Malleable	FR131ML10X16	1
	Series #131	10"	18"	Galvanized Malleable	FR131ML10X18	1
	Series #131	10"	20"	Galvanized Malleable	FR131ML10X20	1
	Series #131	11"	18"	Galvanized Malleable	FR131ML11X18	1
	Series #131	11"	20"	Galvanized Malleable	FR131ML11X20	1
	Series #131	11"	22"	Galvanized Malleable	FR131ML11X22	1
	Series #131	12"	16"	Galvanized Malleable	FR131ML12X16	1
	Series #131	12"	18"	Galvanized Malleable	FR131ML12X18	1
	Series #131	12"	20"	Galvanized Malleable	FR131ML12X20	1
	Series #131	12"	22"	Galvanized Malleable	FR131ML12X22	1
	Series #131	14"	22"	Galvanized Malleable	FR131ML14X22	1
	Series #131	6"	12"	Galvanized Malleable	FR131ML6X12	1
	Series #131	7"	14"	Galvanized Malleable	FR131ML7X14	1
	Series #131	8"	14"	Galvanized Malleable	FR131ML8X14	1
	Series #131	8"	16"	Galvanized Malleable	FR131ML8X16	1
	Series #131	9"	14"	Galvanized Malleable	FR131ML9X14	1
	Series #131	9"	16"	Galvanized Malleable	FR131ML9X16	1
	Series #132	10"	14"	Bronze	FR132BR10X14	1



MULLANE FITRITE
#132 BRONZE FENCE
BRACKET (FOR 3 PIPES)

	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
BRONZE	Series #132	10"	16"	Bronze	FR132BR10X16	1
	Series #132	10"	18"	Bronze	FR132BR10X18	1
	Series #132	10"	20"	Bronze	FR132BR10X20	1
	Series #132	12"	16"	Bronze	FR132BR12X16	1
	Series #132	12"	18"	Bronze	FR132BR12X18	1
	Series #132	12"	20"	Bronze	FR132BR12X20	1
	Series #132	12"	22"	Bronze	FR132BR12X22	1
	Series #132	12"	24"	Bronze	FR132BR12X24	1
	Series #132	14"	22"	Bronze	FR132BR14X22	1
	Series #132	6"	12"	Bronze	FR132BR6X12	1
	Series #132	6"	16"	Bronze	FR132BR6X16	1
	Series #132	8"	14"	Bronze	FR132BR8X14	1
	Series #132	8"	16"	Bronze	FR132BR8X16	1
	Series #132	9"	16"	Bronze	FR132BR9X16	1



MULLANE FITRITE #631
& #632 SNOW FENCE
BRACKET - FRENCH TILE

ALUMINUM BRONZE	18" Base	-	-	Mill Finish	FR631S	1
	18" Base	-	-	Bronze	FR632S	1



MULLANE FITRITE
#831 & #832 SNOW FENCE
BRACKET - DESIGNER TILE

ALUMINUM BRONZE	Celadon Designer Tile	-	-	Mill Finish	FR831	1
	Celadon Designer Tile	-	-	Bronze	FR832	1



MULLANE MODEL
#500 BRONZEGUARD
SNOW FENCE BRACKET

BRONZE	Series #500	10"	14"	Bronze	500BBA10X14	2
	Series #500	10"	16"	Bronze	500BBA10X16	2
	Series #500	10"	18"	Bronze	500BBA11X18	2
	Series #500	10"	20"	Bronze	500BBA11X20	2
	Series #500	11"	18"	Bronze	500BBA12X18	2
	Series #500	11"	20"	Bronze	500BBA12X20	2
	Series #500	12"	16"	Bronze	500BBA12X16	2
	Series #500	12"	20"	Bronze	500BBA10X20	2
	Series #500	12"	22"	Bronze	500BBA12X22	2
	Series #500	12"	24"	Bronze	500BBA12X24	2
	Series #500	12"	24"	Bronze	500BBA12X24	2

SNOW RETENTION SYSTEMS

		STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
 MULLANE MODEL #500 BRONZEGUARD SNOW FENCE BRACKET CONTINUED	BRONZE	Series #500	14"	22"	Bronze	500BBA14X22	2
		Series #500	6"	12"	Bronze	500BBA6X12	2
		Series #500	6"	16"	Bronze	500BBA6X16	2
		Series #500	7"	12"	Bronze	500BBA7X12	2
		Series #500	8"	14"	Bronze	500BBA8X14	2
		Series #500	8"	16"	Bronze	500BBA8X16	2
		Series #500	8"	18"	Bronze	500BBA8X18	2
		Series #500	9"	14"	Bronze	500BBA9X14	2
		Series #500	9"	16"	Bronze	500BBA9X16	2
		Series #500	9"	18"	Bronze	500BBA10X18	2
 MULLANE MODEL #630 SNOW BOSS FOR METAL ROOFS	ALUMINUM	Series #630	-	-	Mill Finish	630M	50
 MULLANE MODEL #640 SNOW BOSS FOR METAL ROOFS	ALUMINUM	Series #640	-	-	Mill Finish	640E	50
		Series #640	-	-	Mill Finish	640M	50
 MULLANE MODEL #650 SNOW BOSS FOR METAL ROOFS	PLASTIC	Series #650	-	-	Clear	650C	50
 MULLANE MODEL #690 SNOW BOSS FOR METAL ROOFS	ALUMINUM	Series #690	-	-	Mill Finish	690M	50



MULLANE SNOW FENCE ACCESSORIES (FOR 2 PIPES)

- PIPES
- COUPLINGS
- END CAPS

	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
BRASS	Red Brass 1/2" Coupling for Pipe	-	-	Red Brass Pipe	RBPCON800	1
	Red Brass 1/2" End Caps for Pipe	-	-	Red Brass Pipe	RBTEC800	1
	Red Brass Pipe 1/2" - 12' Lengths	-	-	Red Brass Pipe	RBP800-12	1
STEEL	Galvanized 1/2" Coupling for Pipe	-	-	Galvanized Pipe	GPCON800	1
	Galvanized 1/2" End Caps for Pipe	-	-	Galvanized Pipe	GPEC800	1
	Galvanized Pipe 1/2" - 10' Lengths	-	-	Galvanized Pipe	GLP800-10	1
BRASS	Red Brass 3/4" Coupling for Pipe	-	-	Red Brass Pipe	RBPCON1050	1
	Red Brass 3/4" End Caps for Pipe	-	-	Red Brass Pipe	RBTEC1050	1
	Red Brass Pipe 3/4" - 12' Lengths	-	-	Red Brass Pipe	RBP1050-12	1
STEEL	Galvanized 3/4" Coupling for Pipe	-	-	Galvanized Pipe	GPCON1050	1
	Galvanized 3/4" End Caps for Pipe	-	-	Galvanized Pipe	GPEC1050	1
	Galvanized Pipe 3/4" - 10' Lengths	-	-	Galvanized Pipe	GLP1050-10	1



MULLANE SNOW FENCE ACCESSORIES (FOR 3 PIPES)

- PIPES
- COUPLINGS
- END CAPS

SNOW RAIL SYSTEMS

MATERIALS & PACKAGING:

- ALUMINUM
- STEEL
- PLASTIC

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for snow products, additional fee applies.

Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.



E-RAIL® SNOW
RETENTION SYSTEM

	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
ALUMINUM	E Style (1-2 Rails)	-	-	Med Gloss Black Primer	ECSTSFE	50
	E Style (1-2 Rails)	-	-	Mill Finish	ECSTS F	50
	16ga Stainless Steel Tubing 20' x 1" Square	-	-	Galvanized	TBSS20EA	1
STEEL	Self Tap #8 x 1/2" Stainless Steel Screws (25 pcs / bag)	-	-	Galvanized	STS812	25
PLASTIC	Black Plastic Tube End Caps	-	-	Plastic	TUBCAP	1
ALUMINUM	F Style (2+ Rails)	-	-	Med Gloss Black Primer	FCSTSFE	25
	F Style (2+ Rails)	-	-	Mill Finish	FCSTS F	25
	16ga Stainless Steel Tubing 20' x 1" Square	-	-	Galvanized	TBSS20EA	1
STEEL	Self Tap #8 x 1/2" Stainless Steel Screws (25 pcs / bag)	-	-	Galvanized	STS812	25
PLASTIC	Black Plastic Tube End Caps	-	-	Plastic	TUBCAP	1



F-RAIL® SNOW
RETENTION SYSTEM



S-RAIL® SNOW
RETENTION SYSTEM


	STYLE	WIDTH	LENGTH	COLOR	SKU	PACKAGING
ALUMINUM	S Style	-	-	Med Gloss Black Primer	SCSTSFE	50
	S Style	-	-	Mill Finish	SCSTSF	50
STEEL	16ga Stainless Steel Tubing 20' x 1" Square	-	-	Galvanized	TBSS20EA	1



MORE THAN JUST ROOFING PRODUCTS

WIDE SELECTION OF BUILDING PRODUCTS

Berger has an extensive product offering ranging from roofing to siding accessories.



BERGER®

TRIM COILS & SIDING ACCESSORIES

trim coils • soffits • fascias & channels

TRIM COILS & SIDING ACCESSORIES

Our colors match many of the most popular siding brands in the industry. We have the latest and most robust color offerings for the following products:

- Trim Coils
- Soffits
- Fascias
- F & J Channels

TRIM COILS



MATERIALS & PACKAGING:

ALUMINUM

50' length coils.
All thicknesses and dimensions are nominal.
For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.
Partial carton quantities available for gutter products, additional fee applies.
Note: FreedomGray™ is copper-coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.

		WIDTH	COLOR			SMOOTH SKU	PVC SKU
TRIM COIL	ALUMINUM	7"	Black / Royal Brown	K	BA	202-07	-
		12"	Lomar White	W		100-12	-
		14"	Lomar White	W		100-14	-
		14"	Black	K		200-14	-
		14"	Royal Brown	BA		201-14	-
		14"	Black / Royal Brown	K	BA	202-14	-
		14"	Black / Terra Bronze	K	TZ	206-14	-
		24"	Lomar White	W		100-24	100PVC-24
		24"	Black	K		200-24	200PVC-24
		24"	Royal Brown	BA		201-24	201PVC-24
		24"	Black / Royal Brown	K	BA	202-24	-
		24"	Grecian Green	GG		203-24	203PVC-24
		24"	Regatta	RG		69124240	-
		24"	Musket Brown	MB		700-24	-
		24"	Terra Bronze	TZ		803-24	-
		24"	Dark Bronze	DB		ADB-24	-

TRIM COIL
CONTINUED

WIDTH	COLOR		SMOOTH SKU	PVC SKU
24"	Dark Bronze / Sable Brown	DB SA	ADBSAB-24	-
24"	Musket Brown A	AMB	AMB-24	AMBPVC-24
24"	AMP Dark Bronze	AMP	AMPDB-24	ADBPVC-24
24"	Autumn Red	ARED	ARED-24	-
24"	Autumn Yellow	AYEL	AY-24	AYPVC-24
24"	Bermuda Blue	BB	BBLUE-24	-
24"	Birchwood / White	BW WS	BCHWD-24	-
24"	Bone Linen	LI	BLN-24	-
24"	Buckskin	BU	BU-24	-
24"	Charcoal Gray	CG	CHAR-24	-
24"	Musket Brown C	C	CMB-24	CMBPVC-24
24"	Natural Clay	NB	CNC-24	CNCPVC-24
24"	Colonial White	280	CW-24	CWPVC-24
24"	Cypress	CYP	CYP-24	-
24"	Desert Sand	DS	DESSAND-24	-
24"	Deep Granite	DG	DPGRAN-24	-
24"	Desert Tan	DT	DT-24	DTPVC-24
24"	Flagstone	FS	FLGST-24	-
24"	Forest	FOR	FOR-24	-
24"	Granite Gray	GR	GG-24	GGPVC-24
24"	Glacier Blend	GB	GLB-24	GLBPVC-24
24"	Greystone	GS	GST-24	-
24"	Green Tea	GT	GTEA-24	-
24"	Herringbone	HB	HB-24	HBPVC-24
24"	Harbor Blue	MAN	HBBL-24	-
24"	Harbor Grey	HG	HBGR-24	-
24"	Heritage Cream	HC	HCRM-24	CRMPVC-24
24"	Hearthstone	HRST	HRST-24	-
24"	Ivy Green	IG	IG-24	IGPVC-24
24"	Lighthouse Red	LR	LHRED-24	-
24"	Linen	CLIN	LINEN-24	-
24"	Light Maple	LM	LM-24	LMPVC-24
24"	Mountain Cedar	MC	MNTN-24	-

TRIM COILS & SIDING ACCESSORIES

TRIM COIL CONTINUED

WIDTH	COLOR		SMOOTH SKU	PVC SKU
24"	Montana Suede	MNT	MNTSUEDE-24	-
24"	Bright White	BW	NBW-24	500-24
24"	Oxford Blue	OX	OX-24	OXPVC-24
24"	Pebblestone Clay	PB	PBCL-24	PBCLPVC-24
24"	Pacific Blue	PBLU	PCB-24	PCBPVC-24
24"	Portsmouth Blue	PORT	PORTSBLUE-24	-
24"	Pearl	PRL	PRL-24	-
24"	Quiet Willow	QW	QWILLOW-24	-
24"	Rugged Canyon	RUG	RUGCAN-24	-
24"	Rye	RYE	RYE-24	-
24"	Sable Brown	SA	SAB-24	SABPVC-24
24"	Saddle	SAD	SAD-24	-
24"	Sand NX	SANDX	SANDNX-24	-
24"	Sandpiper	SANDP	SANDP-24	-
24"	Silver Ash	SAS	SASH-24	SASHPVC-24
24"	Sandstone Beige	SS	SB-24	SBPVC-24
24"	Seagrass	SEAG	SEAG-24	-
24"	Sterling Gray	SGRY	SGRAY-24	SGRAYPVC-24
24"	Silver Grey	SILV	SILVGREY-24	-
24"	Spruce	SPRUCE	SPRC-24	-
24"	Suede	DB	SUEDE-24	-
24"	Snow White	SW	SW-24	SWPVC-24
24"	Savannah Wicker	SWK	SWK-24	SWKPVC-24
24"	Almond	AL	TCG24AL	-
24"	Pearl Gray	PG	TCG24PG	-
24"	Tuxedo Gray	TG	TCG24TG	TGPVC-24
24"	Terra Cotta	TCOT	TCOT-24	-
24"	Tuscan Olive	DB	TUSOLIVE-24	-
24"	Victorian Gray	VG	VICGREY-24	-
24"	Wheat	WHT	WT-24	-

ALUMINUM

	WIDTH	COLOR		SMOOTH SKU
TRIM COIL (MIDWEST COLORS)	ALUMINUM	24"	280 White	 WS TC100-MW24
		24"	Black	 BK TC200-MW24
		24"	Brown	 BS TC201-MW24
		24"	Dark Bronze	 DB TCADB-MW24
		24"	Terra Bronze	 TZ TCBNZ-MW24
		24"	Clay	 NB TCCNC-MW24
TRIM COIL (0.024)	ALUMINUM	24"	Black/Royal Brown	 K  BA 202-24-24
		24"	Snow White / Alcoa Musket Brown	 SW  AMB SWAMB24-24
JAMES HARDIE TRIM COIL	ALUMINUM	24"	Aged Pewter / Gray Slate	  JHAGPWTR-24
		24"	Arctic White / Monterey Taupe	  JHARWHT-24
		24"	Autumn Tan / Pearl Gray	  JHAUTTAN-24
		24"	Boothbay Blue / Navajo Beige	  JHBBBLUE-24
		24"	Cobble Stone / Evening Blue	  JHCOB-24
		24"	Deep Ocean / Iron Gray	  JHDPOCEAN-24
		24"	Khaki Brown / Night Gray	  JHKKIBRN-24
		24"	Timber Bark / Light Mist	  JHTIMBARK-24
		24"	Country Lane Red / Rich Espresso	  JHCLRDRESP-24
		24"	Heathered Moss / Mountain Sage	  JHHMOSMSGE-24

SOFFITS

MATERIALS & PACKAGING:

ALUMINUM

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

Partial carton quantities available for soffit products, additional fee applies.



D6 SOFFIT

STYLE	WIDTH	COLOR	SKU	PACKAGING
Solid	12"	DB AL AMB BL	SSGP••	16
		BR BZ GG HC		
		HE LM NC PG		
		RB SB SW WH		
Vented	12"	DB AL AMB BL	VSGP••	16
		BR BZ GG HC		
		HE LM NC PG		
		RB SB SW WH		

ALUMINUM



T4 SOFFIT

Solid	12"	AL ADB BL BU	T4SSGP••	16
		CYP CLIN DBZ FOR		
		GGR GG HC LM		
		MAN NC PG RB		
		RYE SAB SB SW		
		SGR BZ PBLUE		
		BRHP HEHP CHAR		
		ARED HRST TCOT		
		PBCL SAGE WTHP		
Vented	12"	AL ADB BL BU	T4VSGP••	16
		CYP CLIN DBZ FOR		
		GGR GG HC LM		
		MAN NC PG RB		
		RYE SAB SB SW		
		SGR BZ PBLUE		
		BRHP HEHP CHAR		
		ARED HRST TCOT		
		PBCL SAGE WTHP		

ALUMINUM

	STYLE	WIDTH	COLOR	SKU	PACKAGING
T4 F SOFFIT (MIDWEST COLORS)	Center Vent	12"	280 White	SFAWHTT4PV4	16
	Center Vent	12"	BK TB BA	SFA••TT4PV4	16
	Solid	12"	80 Degree White	SFAWHTT4NV4	16
	Solid	12"	WH BK TB BA	SFA••TT4NV4	16
	Vented	12"	80 Degree White	SFAWHTT4FV4	16
	Vented	12"	WH BK TB BA	SFA••TT4FV4	16
T4 F PREMIUM SOFFIT (MIDWEST COLORS)	Center Vent	12"	280 White	SFAWHTT4PV6	16
	Center Vent	12"	BK TB BA	SFA••TT4PV6	16
	Solid	12"	80 Degree White	SFAWHTT4NV6	16
	Solid	12"	WH BK TB BA	SFA••TT4NV6	16
	Vented	12"	80 Degree White	SFAWHTT4FV6	16
	Vented	12"	WH BK TB BA	SFA••TT4FV6	16
TRAPLOCK SOFFIT	Solid	12"	WA HG AL ADB	SV12••	10
			BK LI DB DT		
			GG HC HE LM		
			BZ MB AMB NC		
			PG PB RB		
	Vented	12"	WA HG AL ADB	LV12••	10
			BK LI DB DT		
			GG HC HE LM		
			BZ MB AMB NC		
			PG PB RB		

FASCIAS & CHANNELS

MATERIALS & PACKAGING:

- ALUMINUM
- STEEL

All thicknesses and dimensions are nominal.

For proper ordering, enter length code (_ _) and color code (• •). For example: K_ _ • • 5 filled out as K10BR5 would be a 5" Aluminum Painted Brown 10' hemback K-style gutter.

	WIDTH	LENGTH	THICKNESS	COLOR			SKU	PACKAGING
 F CHANNEL	1/2"	12'	0.019	WA	HG	ADB	FA50••	25
				AL	AMB	BL		
				BZ	DB	DT		
				GG	GR	HC		
				HE	LI	LM		
				MB	NC	PB		
				PG	RB	SW		
				SAB	SB			
 J CHANNEL	1/2"	12'	0.019	EW	HG	AL	JA50••	50
				AMB	BL	BZ		
				DB	DT	GG		
				HC	HE	LI		
				LM	MB	NC		
				PB	PG	BA		
				SW				
ALUMINUM	3/4"	12'	0.019	White			J-34WA	50
	3/8"	12'	0.019	280 White			JA38SWMW	50
	3/8"	12'	0.019	AMB	SW	BA	JA38••	50
				BZ	CHAR	DB		
				EW	FOR	HE		
				HRST	PB	PBLUE		
				PG	RYE	SB		
				SGRAY	TCOT			
	3/8"	12'	0.019	WS	B		JA50••	50

				WIDTH	LENGTH	THICKNESS	COLOR	SKU	PACKAGING					
 FASCIA	ALUMINUM	6"	12'	0.019	WA	HG	ADB	FA96••	25					
					AL	AMB	BL							
					BZ	DB	DT							
					GG	GR	HC							
					HE	LI	LM							
					MB	NC	PB							
					PG	RB	SW							
					SAB	SB								
					8"	12'	0.019			WA	HG	ADB	FA98••	25
										AL	AMB	BL		
BZ	DB	DT												
GG	SB	HC												
HE	LI	LM												
MB	NC	PB												
PG	RB	SW												
SAB														
4"	12'	0.024	WA	BA					FAS4••	25				
6"	12'	0.024	WA	BA				DB	FAS6••	25				
8"	12'	0.024	WA	BA		FAS8••	25							
10"	12'	0.024	WA	BA	DB	FAS1••	25							
FASCIA MIDWEST	ALUMINUM	6"	12'	0.024	280 White		FAS6WAMW	25						
		8"	12'	0.024	280 White		FAS8FWAMW	25						
 SOFFIT COVE MOLDING	ALUMINUM	-	12'	0.019	Brown		7701019	25						
		-	12'	0.019	White		77010	25						
 STARTER STRIP	ALUMINUM	2.5"	10'	-	Mill Finish		GLSS2510	50						
		2.5"	10'	-	Mill Finish		ALSS2510	50						
		3"	10'	-	Mill Finish		ALSS10	50						
		3"	12'	-	Mill Finish		ALSS12	40						
		3.5"	10'	-	Mill Finish		5428000120	40						
		3.5"	10'	-	Mill Finish		GLSS3510	50						
		4"	10'	-	Mill Finish		SSA35	50						

TRIM COILS & SIDING ACCESSORIES

		WIDTH	LENGTH	THICKNESS	COLOR	SKU	PACKAGING
 STARTER STRIP CONTINUED	STEEL	3"	10'	-	Galvanized	GLSS10	20
		3"	10'	-	Galvanized	GLSS10N	20
		3.5"	10'	-	Galvanized	5628000120	20
BARGEBOARD	ALUMINUM	6"	10'	-	WA	BB6PWA	25
		8"	10'	-	WA BA	BB8P••	25
		10"	10'	-	WA BA	BB1P••	25




145+ YEARS OF BUILDING QUALITY PRODUCTS

BUILDING QUALITY PRODUCTS SINCE 1874

For 145+ years, Berger has remained the go-to supplier of building products for customers like you.

What's our secret? We have three: We keep your needs top-of-mind, keep innovating and never skimp on materials. Copper, aluminum, and steel are our bread and butter — because you deserve the very best.



BERGER®

TECHNICAL REFERENCE APPENDIX

APPENDIX

WARRANTY

Berger requires that all materials be evaluated for fitness use by the user prior to application. Berger will not be responsible for misapplication of product, incorrect material or defects that were obvious at time of installation, consequential damage, schedule delays, labor and equipment rental. Our warranty is limited to our cost of materials on product determined to be a manufactured defect. Claims for defective material damaged due to snow and / or ice loads are not covered by our warranty unless Berger snow guards have been utilized and installed per our installation instructions.

For further information on proper use of these products, please review this Technical Reference Appendix, the SMACNA Architectural Sheet Metal Manual 5th Edition or the AIA Architectural Graphic Standards 6th Edition. The information included in this Appendix has been derived for the SMACNA Architectural Sheet Metal Manual 5th Edition and the AIA Architectural Graphic Standards 6th Edition. For full copies of these industry manuals, please contact:

**Sheet Metal and Air Conditioning Contractors
National Association, Inc. (SMACNA)**

4201 Lafayette Center Drive
Chantilly, VA 22021
Phone: (703) 803-2980
Fax: (703) 803-3732
Website: www.smacna.org
E-Mail: info@smacna.org

The American Institute of Architects (AIA)

1735 New York Ave. NW
Washington, DC 20006
Phone: (800) AIA-3837
Fax: (202) 626-7547
Website: www.aia.org
E-Mail: infocentral@aia.org

PATINA CHEMICAL SOURCES

Copper will patina naturally in most areas within 7 years when exposed to normal air quality and moisture. Areas that are dry or at high altitudes will take longer or not react to environmental surface oxidation. Berger Building Products, Inc. provides this information as a service with the understanding that the results of the chemical patina will vary, and Berger assumes no liability. Berger cautions the user that the user is responsible for the results. The user must also comply with all manufacturer safety recommendations on handling and disposing of chemicals in accordance with all Local, State and Federal EPA Guidelines. User can check for other sources on the internet, phone and industrial directories.

Triple-S Chemical Products, Inc. — Los Angeles

(800) 862-5958

Patina Solutions (800) 882-7004

Jax Chemical So. — Floral Park, NY (718) 347-0057

The Copper Development Association (CDA) provides information on the use of copper for every purpose known to man at the website <http://www.copper.org>. For specific information on architectural copper finishes, go to <http://www.copper.org/applications/architecture/finishes.html>.

STORAGE & HANDLING OF PRODUCTS

Berger products must be stored in a properly ventilated, dry environment to prevent condensation on metal surfaces. Materials that are stored in areas subject to temperature variations, outside storage or subjected to moisture damage are not returnable. Galvanized Steel and Zinc surfaces are susceptible to humid storage stain or white rust. SMACNA Guidelines for storage and handling of materials apply. Refer to SMACNA Appendix A-5 Sections 1.7, 1.8 and 1.9.


CAUTION: Use of aluminum with some dissimilar materials or corrosive environment will result in corrosion and failure of the material.

Aluminum may react and corrode when contacted with runoff water from copper flashings, copper roofing, shingles containing copper antifungal agents, or pressure-treated wood containing CCA or ACQ or copper-azole. Do not permit direct contact use with dissimilar metals or alkaline materials such as concrete, mortar, stucco or cementitious fiber board materials.

GALVANIC CORROSION

The selection of gutter material must account for the potential of Galvanic or Electrolytic Corrosion at contact points with other metals and at supports. Also, special selection is required for corrosive environments such as coastal or polluted industrial atmospheres. Galvanic or Electrolytic Corrosion can occur when dissimilar metal are in contact in the presence of an electrolyte. An electrolyte is any nonmetal substance that will conduct an electric current, especially a liquid solution. Water, particularly rainwater, is a good electrolyte.

GALVANIC SCALE



To reduce the tendency for galvanic corrosion to occur between dissimilar metals, one or more of the following actions can be taken:

- Avoid contact between metals that are farther apart on the scale.
- Do not couple a small exposed area of a more electropositive (anodic) metal with a large area of a more electronegative (cathodic) metal. Fasteners are a particular concern in this regard.
- Coat the electropositive (cathodic) metal with a suitable paint or other non-metallic coating (or coat both surfaces at their interface). Zinc chromate or bituminous coatings are often used.
- Separate the metals by tape, gasket, waterproof paper, elastomeric sheet, sealant or other non-absorbent, non-conductive material.
- Do not allow moisture runoff from a more electronegative (cathodic) metal to drain on a more electropositive (anodic) metal, even if the metals are not in contact.
- Remove metal particles that are deposited from steel dies on formed metals (or prevent the deposits from occurring).

Miscellaneous Information about Galvanic Corrosion:

- Passivated stainless steel has been chemically cleaned, usually with an acid solution.
- Anodized aluminum is considered compatible with all other metals.
- Slats increase the electrical conductivity of water.
- The discharge from drain pipes on rooftop air-conditioning units can be very corrosive, particularly if the piping is copper, and the drainage goes into galvanized steel scuppers, conductor heads or gutters.
- Coppers nails / fasteners should not be used for fastening galvanized steel roof panels even though the contact area of the more electropositive (anodic) zinc coating is small compared to the more electronegative (cathodic) copper metal. Galvanized steel nails / fasteners will corrode rapidly if used on copper roofing.
- Many organizations and individuals have published corrosion tables. All of them tend to rank corrosion rates in non-quantitative terms such as mild, moderate and severe. Rates of corrosion are also affected by conditions such as seacoast, dry inland, acid rain and polluted industrial atmospheres.

APPENDIX

GUTTER HANGER SELECTION

In deciding which hanger is most acceptable, please consider such things as appearance, expected life, ice loading, size of gutter, material and expansion. When fascia board is less than 2" thick, the hanger fasteners must be driven into the rafter ends. In area subject to snow slide, coordinate the front edge elevation of the gutter with the extended roof line. (See below table on Required Clearance of Gutter Below Extended Roof Line.)

RECOMMENDED GUTTER HANGER SPACING

Gutter hangers should be spaced at a maximum of 36" on center. In areas where ice and snow are long lasting, hanger spacing should be reduced to 18" on center.

RECOMMENDED GUTTER PITCH & POSITION ON THE EAVE

There are two factors that go into determining gutter positions on the eave: the pitch of the gutter and the roof slope. Gutter should be pitched 1/16" or greater per foot for proper drainage. Gutter can be run level for appearance, but additional downspout will be necessary. (See section on Proper Gutter and Downspout Sizing on the following pages.) Gutters should be placed below the extended roof line so that snow and ice can slide clear. Steeper pitches require less clearance.

REQUIRED CLEARANCE OF GUTTER BELOW EXTENDED ROOF LINE	
0 in 12 - 2 in 12	1"
3 in 12 - 5 in 12	3/4"
6 in 12 - 8 in 12	1/2"
9 in 12 or Greater	1/4"


LAP JOINT SPECIFICATION

Joints in gutters must be overlapped 1", riveted on 2" centers and soldered if the metal can be soldered. (See soldering instructions for details.) With metals that cannot be soldered, SeamerMate® Sealant must be continuously applied with a 1" lapped joint, and sealed lap must be riveted on 1" centers.

PENETRATING WALL FASTENERS

Berger recommends drilling holes in masonry and the use of metal hole inserts and / or FlashMate® Sealant when installing these pipe hook fasteners. Wall penetrations need to be sealed to prevent water intrusion and related problems. Driving these into brick mortar joints will cause damage to the pipe hook fasteners and the wall.

TYPICAL GUTTER HANGER DETAILS



*Only 1 hole will line up with bolt center distance on shank is 1/2". Center distance on circle is 3/8". This allows the gutter to be pitched by lowering the circle on the shank in increments of 1/8". Berger does not imply fitness of use of our components in conjunction with competitors' products. Berger will not warrant any system that incorporates products not manufactured by Berger.

COIL & SHEET METAL GOODS SPECIFICATIONS (GUTTER & DOWNSPOUTS)

ALUMINUM	COPPER	STEEL
Mill Finish Aluminum Metal: ASTM B209 - Temper & Alloy 3105 H14 Finish: None	Natural Copper Metal: ASTM B370 - CDA110 or CDA 122 Alloy - Cold Rolled Finish: None	Galvanized Steel Metal: ASTM A653 - LFQ (Lock Form Quality) Finish: Hot-Dipped Galvanized Zinc Coating
Painted Aluminum Metal ASTM B209 - Temper & Alloy 3105 H14 Finish: .65 - .70 MIL Thick Polyester Finish a Bonderized / Phosphatized Finish	Revere FreedomGray™ Zinc-Coated Copper Metal: ASTM B370 - CDA110 or CDA 122 Alloy - Cold Rolled Finish: Z - T Alloy (Zinc - Tin)	Painted Galvanized Steel Metal: ASTM A653 - LFQ (Lock Form Quality) Finish: Hot-Dipped Galvanized Zinc Coating with a .20 - .30 Mil Thick Epoxy and a .70 - .80 Mil Polyester Finish
		Stainless Steel Metal: 304 Alloy Finish: 304 Alloy

APPENDIX

RAINFALL DATA & DRAINAGE FACTORS

	Storms Which Should Be Exceeded Only Once in 10 Years				Storms Which Should Be Exceeded Only Once in 100 Years			
	Intensity lasting 5 minutes		Calculated roof area drained per downspout area		Intensity lasting 5 minutes		Calculated roof area drained per downspout area	
	IN. / HR.	MM / HR.	FT. ² / IN. ²	M ² / 100 MM ²	IN. / HR.	MM / HR.	FT. ² / IN. ²	M ² / 100 MM ²
ALABAMA: Birmingham Mobile	7.5 8.2	191 208	160 150	2.30 2.16	10.1 10.8	257 274	120 110	1.73 1.58
ALASKA: Fairbanks Juneau	2.1 1.7	53 43	570 700	8.19 10.06	3.8 2.3	97 58	310 530	4.47 7.62
ARIZONA: Phoenix Tucson	5.6 6.1	142 155	220 200	3.16 2.75	8.8 9.1	224 231	140 130	2.01 1.87
ARKANSAS: Bentonville Little Rock	7.4 7.4	188 188	160 160	2.30 2.30	10.2 10.0	259 254	120 120	1.73 1.73
CALIFORNIA: Los Angeles Sacramento San Francisco San Diego	4.9 2.5 2.7 2.2	124 64 69 56	250 480 450 540	3.59 6.90 6.47 7.76	6.7 3.9 3.7 3.1	170 99 94 79	180 8.2 7.5 8.2	2.59 4.46 4.74 5.61
COLORADO: Denver Boulder	5.7 6.4	145 163	210 190	3.02 2.73	9.1 9.4	231 239	130 130	1.87 1.87
CONNECTICUT: Hartford	6.2	157	190	2.73	8.7	221	140	2.01
DISTRICT OF COLUMBIA	7.1	180	170	2.44	9.7	246	120	1.73
FLORIDA: Jacksonville Miami Tampa	7.9 7.7 8.3	201 196 211	150 160 140	2.16 2.30 2.01	10.1 9.8 10.8	257 250 249	120 120 110	1.73 1.73 1.58
GEORGIA: Atlanta	7.3	185	160	2.30	9.9	251	120	1.73
HAWAII: Honolulu Kahului Hilo Lihue	8.7 7.0 17.4 10.4	221 178 442 264	140 170 70 110	2.01 2.44 1.01 1.58	12.0 12.0 19.2 14.4	305 305 488 366	100 100 60 80	1.44 1.44 0.86 1.15
IDAHO: Boise	1.8	46	660	9.49	3.3	84	360	5.18
ILLINOIS: Chicago	6.8	173	180	259	9.3	236	130	1.87
INDIANA: Indianapolis	6.8	173	180	259	9.4	239	130	1.87
IOWA: Des Moines	7.3	185	160	2.30	10.3	262	120	1.73
KANSAS: Wichita	7.5	191	160	2.30	10.3	262	120	1.73

RAINFALL DATA & DRAINAGE FACTORS (CONTINUED)


	Storms Which Should Be Exceeded Only Once in 10 Years				Storms Which Should Be Exceeded Only Once in 100 Years			
	Intensity lasting 5 minutes		Calculated roof area drained per downspout area		Intensity lasting 5 minutes		Calculated roof area drained per downspout area	
	IN. / HR.	MM / HR.	FT. ² / IN. ²	M ² / 100 MM ²	IN. / HR.	MM / HR.	FT. ² / IN. ²	M ² / 100 MM ²
KENTUCKY: Louisville	6.9	175	170	2.44	9.4	239	130	1.87
LOUISIANA: New Orleans	8.3	211	140	2.01	10.9	277	110	1.58
MAINE: Portland	5.4	137	220	3.16	7.6	193	160	2.30
MARYLAND: Baltimore	7.1	180	170	2.44	9.7	246	120	1.73
MASSACHUSETTS: Boston	5.3	135	230	3.31	7.2	183	170	2.44
MICHIGAN: Detroit	6.4	163	190	2.73	8.9	226	140	2.01
MINNESOTA: Minneapolis	7.0	178	170	2.44	10.0	254	120	1.73
MISSOURI: Kansas City Saint Louis	7.4	188	160	2.30	10.4	264	110	1.58
	7.1	180	170	2.44	9.9	251	120	1.73
MONTANA: Helena Missoula	1.8	4.6	660	9.49	3.1	79	390	5.61
	1.8	46	660	9.49	2.4	61	500	7.19
NEBRASKA: Omaha	7.4	188	160	2.30	10.5	267	110	1.58
NEVADA: Reno Las Vegas	2.3	58	530	7.62	4.5	114	270	3.88
	2.1	53	570	8.19	5.2	132	230	3.31
NEW JERSEY: Trenton	6.7	170	180	2.59	9.3	236	130	1.87
NEW MEXICO: Albuquerque Santa Fe	4.0	102	300	4.31	6.7	170	180	2.59
	4.5	114	270	3.88	6.4	163	180	2.59
NEW YORK: Albany Buffalo New York City	6.5	165	190	2.73	9.1	231	130	1.87
	6.0	152	200	2.90	8.4	213	140	2.01
	6.7	170	180	2.59	9.2	234	130	1.87
NORTH CAROLINA: Raleigh	7.3	185	160	2.30	9.8	249	120	1.73
NORTH DAKOTA: Bismark	6.6	168	180	2.59	9.8	249	120	1.73
OHIO: Cincinnati Cleveland	6.8	173	180	2.59	9.3	236	130	1.87
	6.3	160	190	2.73	8.8	224	140	2.01
OKLAHOMA: Oklahoma City	7.6	193	160	2.30	10.5	267	110	1.58

APPENDIX

RAINFALL DATA & DRAINAGE FACTORS (CONTINUED)


	Storms Which Should Be Exceeded Only Once in 10 Years				Storms Which Should Be Exceeded Only Once in 100 Years			
	Intensity lasting 5 minutes		Calculated roof area drained per downspout area		Intensity lasting 5 minutes		Calculated roof area drained per downspout area	
	IN. / HR.	MM / HR.	FT. ² / IN. ²	M ² / 100 MM ²	IN. / HR.	MM / HR.	FT. ² / IN. ²	M ² / 100 MM ²
OREGON:								
Baker	2.2	56	550	7.91	3.8	97	310	4.46
Portland	2.1	53	570	8.19	3.0	76	400	5.75
PENNSYLVANIA:								
Philadelphia	6.8	173	180	2.59	9.4	239	130	1.87
Pittsburgh	6.4	163	190	2.73	8.8	224	140	2.01
RHODE ISLAND:								
Providence	5.6	142	210	3.02	7.8	198	150	2.16
SOUTH CAROLINA:								
Charleston	7.2	183	170	2.44	9.4	239	130	1.87
TENNESSEE:								
Memphis	7.4	188	160	2.30	10.0	254	120	1.73
Knoxville	6.7	170	180	2.59	9.0	229	130	1.87
TEXAS:								
Fort Worth	7.6	193	193	2.77	10.5	267	110	1.58
Dallas	7.6	193	160	2.30	10.5	267	110	1.58
Houston	8.2	208	150	2.16	10.8	274	110	1.58
San Antonio	7.6	193	160	2.30	10.5	267	110	1.58
UTAH:								
Provo	3.0	75	410	5.89	5.2	132	230	3.31
Salt Lake City	2.8	71	430	6.18	4.3	109	280	4.03
VIRGINIA:								
Norfolk	7.1	180	170	2.44	9.5	241	130	1.87
WASHINGTON:								
Seattle	2.1	53	570	8.19	3.3	84	360	5.18
Spokane	2.1	53	570	8.19	3.5	89	340	4.89
WEST VIRGINIA:								
Parkersburg	6.6	168	180	2.59	9.1	231	130	1.87
WISCONSIN:								
Madison	6.8	173	180	2.59	9.5	241	130	1.87
Milwaukee	6.6	168	180	2.59	9.1	231	130	1.87
WYOMING:								
Cheyenne	5.7	145	210	3.02	9.9	251	120	1.73

PROPER GUTTER & DOWNSPOUT SIZING, K-STYLE GUTTERS



APPENDIX

PROPER GUTTER & DOWNSPOUT SIZING, HALF-ROUND GUTTERS



APPENDIX

TRIM COIL COLORS

										
Colonial White*	Bright White*	Snow White*	Lomar White*	Sandstone Beige*	Pearl	Bone Linen	Heritage Cream*	Autumn Yellow*	Wheat	Herringbone*
										
Almond	Light Maple*	Sandpiper	Desert Tan*	Linen	Silver Ash*	Green Tea	Bermuda Blue	Saddle	Harbor Blue	Sterling Gray*
										
Glacier Blend*	Savannah Wicker*	Rye	Oxford Blue*	Pearl Gray	Natural Clay*	Granite Gray*	Pebblestone Clay*	Seagrass	Cypress	Suede
										
Greystone	Charcoal Gray	Spruce	Mountain Cedar	Hearthstone	Flagstone	Terra Cotta	Pacific Blue*	Ivy Green	Autumn Red	Lighthouse Red
										
Sable Brown*	Terra Bronze	Forest	Regatta	Tuxedo Gray*	Grecian Green*	Royal Brown*	Musket Brown C*	Musket Brown A*	Musket Brown	Dark Bronze
										
AMP Dark Bronze*	Black*	Deep Granite	Desert Sand	Harbor Grey	Herringbone A	Montana Suede	Portsmouth Blue	Quiet Willow	Rugged Canyon	Silver Grey
										
Tuscan Olive	Victorian Grey	Granite NX	Sand NX	Retail Brown	Barn Red (PVC Only)	Buckskin	Arctic White	Navajo Beige	Monterey Taupe	Autumn Tan
										
Khaki Brown	Timber Bark	Rich Espresso	Mountain Sage	Heathered Moss	Countrylane Red	Pearl Gray	Light Mist	Gray Slate	Night Gray	Boothbay Blue
										
Evening Blue	Deep Ocean	Aged Pewter	Iron Gray							

***This color is offered in the standard smooth finish and a PVC finish.** Colors shown are as close to actual colors as allowed by the printing process. Actual metal samples are available, request samples prior to installation. Note: Colors vary depending on position and angles.

JAMES HARDIE COLORS

										
Artic White*	Cobble Stone	Navajo Beige	Monterey Taupe	Autumn Tan	Khaki Brown	Timber Bark	Rich Espresso	Mountain Sage	Heathered Moss	Country Lane Red
										
Pearl Gray	Light Mist	Gray Slate	Night Gray	Boothbay Blue	Evening Blue	Deep Ocean	Aged Pewter	Iron Gray		

ITEM NUMBER	SIZE	TOP COLOR / REVERSE COLOR	MATERIAL	UOM
JHAGPWTR-24	24" X 50'	Aged Pewter / Gray Slate	Aluminum	EA
JHARTWHT-24	24" X 50'	Arctic White / Monterey Taupe	Aluminum	EA
JHAUTTAN-24	24" X 50'	Autumn Tan / Pearl Gray	Aluminum	EA
JHBBBLUE-24	24" X 50'	Boothbay Blue / Navajo Beige	Aluminum	EA
JHCOB-24	24" X 50'	Cobble Stone / Evening Blue	Aluminum	EA
JHDPOCEAN-24	24" X 50'	Deep Ocean / Iron Gray	Aluminum	EA
JHKKIBRN-24	24" X 50'	Khaki Brown / Night Gray	Aluminum	EA
JHTIMBARK-24	24" X 50'	Timber Bark / Light Mist	Aluminum	EA
JHCLRDRESP-24	24" X 50'	Country Lane Red / Rich Espresso	Aluminum	EA
JHHMOSMSGE-24	24" X 50'	Heathered Moss / Mountain Sage	Aluminum	EA

***Coils are dual-sided:** The reverse side of the coil features a different color; order desired color based on part number listed above that corresponds with the column labeled "TOP COLOR / REVERSE COLOR".

APPENDIX

GUTTERS & ACCESSORIES COLORS



Colors shown are as close to actual colors as allowed by the printing process. Actual metal samples are available; request samples prior to installation. Note: Colors vary depending on position and angles.
Note: FreedomGray™ is made of copper and coated with a unique, patented tin-zinc alloy. It offers all the advantages of copper in a naturally weathering earth tone gray color.

ORDERING

Enter degree code (_) and color code (• •) when ordering. For example: PR _ • • 3 filled out as PROADB3 would be a 3" Aluminum Painted Elbow at 30° and painted Amp Dark Bronze. Please enter the whole code with no spacing. If you have any questions, please call us at 800-523-8852.

COLOR ABBREVIATIONS

COLOR	ACCESSORY CODES	TRIM COIL CODES	GUTTER COIL CODES
Almond	AL69	AL	6910
AMP Dark Bronze*	ADB	AMP	5110
Autumn Red	RED	ARED	-
Autumn Yellow*	-	AYEL	-
Bermuda Blue	-	BB	-
Birchwood	-	BW	-
Black*	BK35BLK	K	-
Bone Linen	LI	LI	-
Bright White*	-	BW	-
Bronze	-	-	0033
Buckskin	BU	BU	-
Charcoal Gray	CGCHGRCHAR	CG	-
Colonial White*	-	280	-

COLOR ABBREVIATIONS (CONTINUED)

COLOR	ACCESSORY CODES	TRIM COIL CODES	GUTTER COIL CODES
Cypress*	CYP	CYP	-
Dark Bronze	DB HD	DB	0051
Deep Granite	-	DG	-
Desert Sand	-	DS	-
Desert Tan*	DT T	DT	-
Flagstone	-	FS	-
Forest	FOR	FOR	-
Glacier Blend*	-	GB	-
Granite Gray*	GR	GR	-
Grecian Green*	GG 18	GG	1810
Green Tea	-	GT	-
Greystone	-	GS	-
Harbor Blue	-	MAN	-
Harbor Grey	-	HG	-
Hearthstone	HRST	HRST	-
Heritage Cream*	HC 27	HC	2710
Herringbone*	HE	HB	0220
Ivy Green*	-	IG	-
Light Maple*	LM 28	LM	2810
Linen	-	CLIN	-
Lomar White	W WA 00 30W W6 WS BW	W	-
80 Degree White	HG 20 32 H3 H 80W KWA	-	-
Montana Suede	-	MNT	-
Mountain Cedar	-	MC	-
Musket Brown	MB 19 B	MB	0059 5910
Musket Brown A*	AMB AM 59	AMB	-
Musket Brown C*	-	C	-
Natural Clay*	NC NB 79	NB	7910
Oxford Blue*	-	OX	-

APPENDIX

COLOR ABBREVIATIONS (CONTINUED)

COLOR	ACCESSORY CODES	TRIM COIL CODES	GUTTER COIL CODES
Pacific Blue*	PBLUE	PBLU	-
Pearl Gray	PG 53	PG	5310
Pebblestone Clay*	PB 85	PB	-
Portsmouth Blue	-	PORT	-
Regatta	-	RG	-
Royal Brown*	RB BA 15 B3 BS BRA	BA	-
Rugged Canyon	RC	RUG	-
Rye	RYE	RYE	-
Quiet Willow	-	QW	-
Sable Brown*	SAB	SA	-
Saddle	-	SAD	-
Sandpiper	-	SANDP	-
Sandstone Beige*	SB 74	SS	-
Savannah Wicker*	WK SW 46	SWK	4610
Seagrass	-	SEAG	-
Silver Ash*	-	SAS	-
Silver Grey	-	SILV	-
Snow White*	-	SW	-
Spruce	-	SPRUCE	-
Sterling Gray*	31	SGRY	-
Suede	-	DB	-
Terra Bronze	TB 33 Z	TZ	-
Terra Cotta	-	TCOT	-
Tuscan Olive	-	DB	-
Tuxedo Gray*	-	TG	-
Victorian Gray	-	VG	-
Wheat	-	WHT	-

SNOW GUARD APPLICATION FOR COMPOSITION ROOFING

Snow Guard	Brand	Material	Shingle	Synthetic Slate	Slate	Tile	Retrofit
100S-AS	Mullane	Copper / Bronze	X				X
100S-NA	Mullane	Copper / Bronze		X	X		
100S-RH	Mullane	Copper / Bronze		X	X		X
200S-AS	Mullane	Copper / Bronze	X				X
200S-NA	Mullane	Copper / Bronze		X	X		
200S-RH	Mullane	Copper / Bronze		X	X		X
200CPT	Mullane	Copper / Bronze				X	
300S-AS	Mullane	Copper / Bronze	X				
300S-NA	Mullane	Copper / Bronze		X	X	X	
300S-RH	Mullane	Copper / Bronze		X	X		X
400EGLBRZ	Mullane	Bronze / Brass	X	X	X		
400LEAFBRZ	Mullane	Bronze / Brass	X	X	X		
400FDLBRZ	Mullane	Bronze / Brass	X	X	X		
SGS100	Berger	Stainless Steel	X	X	X	X	X
SGSP100	Berger	Stainless Steel	X	X	X	X	X
SGS100HP	Berger	Stainless Steel	X				X
SGSS200	Berger	Copper	X	X	X	X	X
SGCI100	Berger	Copper / Brass	X	X	X	X	X
SGCP100	Berger	Copper / Brass	X	X	X	X	X
SGCI100HP	Berger	Copper / Brass	X				X
SGCP200	Berger	Stainless Steel	X	X	X	X	X
SGML-2	Berger	Malleable Iron / Steel	X	X	X	X	
SGBR-2	Berger	Bronze / Brass	X	X	X	X	
SGAL95	Berger	Aluminum / Steel	X	X	X	X	
SGML95	Berger	Malleable Iron / Steel	X	X	X	X	
SGBR95	Berger	Bronze / Brass	X	X	X	X	
SGLLC1	Berger	Copper	X	X	X		
500BBA (WXL)	Mullane	3 Rail - Brass / Bronze		X	X	X	N
FR124BRZ	Mullane	2 Rail - Brass / Bronze	X				N
FR122BR (WXL)	Mullane	2 Rail - Brass / Bronze		X	X	X	N
FR132BR (WXL)	Mullane	3 Rail - Brass / Bronze		X	X	X	N
FR124ML	Mullane	2 Rail - Galv / Mall Iron	X				N
FR121ML (WXL)	Mullane	2 Rail - Galv / Mall Iron		X	X	X	N
FR131ML (WXL)	Mullane	3 Rail - Galv / Mall Iron		X	X	X	N

APPENDIX

SNOW GUARD APPLICATION FOR METAL ROOFING

Snow Guard	Brand	Material	Available Powder Coated	Fastened with Adhesive	Fastened with Screws	Fastened to Standing Seam	Ribbed Panels w / Ribs 9" to 12" OC	Metal Panels w / Seams Up to 12" OC	Metal Panels w / Seams Over 12" OC	Seams Up to 1.25" Tall
SGML-1	Berger	Malleable Iron				X		X	X	X
SGBR-1	Berger	Bronze				X				
SGML20	Berger	Malleable Iron			X		X			
SG-CPS	Berger	Copper			X					
SG-SSS	Berger	Stainless Steel			X		X	X		
RTCLSM	Real Tool	Plastic		X	X			X	X	
RTCLSR	Real Tool	Plastic		X	X		X			
RTMINI	Berger	Plastic		X	X		X	X		
100CPSM	Mullane	Copper / Bronze								
200CPSM	Mullane	Copper / Bronze								
300CPSM	Mullane	Copper / Bronze								
650	Mullane	Plastic		X	X			X	X	
630	Mullane	Almag 35		X	X			X		
640	Mullane	Almag 35		X	X		X	X		
690	Mullane	Almag 35		X	X			X	X	
SMMFSG	Real Tool	Almag 35		X	X			X	X	
AP400M	Real Tool	Almag 35	X			X		X	X	
AP516M	Real Tool	Almag 35	X			X		X	X	
RT200M	Real Tool	Almag 35	X			X		X	X	X
RT200B	Real Tool	Bronze				X				
RT300M	Real Tool	Almag 35	X			X		X	X	X
RT300B	Real Tool	Bronze				X				
SG-1MF	Snow Meister	Almag 35				X		X	X	X
SG-1BPZ	Snow Meister	Bronze				X				
SL-1MF	Snow Meister	Almag 35				X		X	X	X
FCSTSF	Berger Rail	Almag 35						X	X	X
ECSTSF	Berger Rail	Almag 35						X	X	X
SCSTSF	Berger Rail	Almag 35						X	X	X

SNOW GUARD APPLICATION FOR METAL ROOFING (CONTINUED)

Snow Guard	Brand	Material	Seams 1.25" to 2" Tall	Cap & Batten Seams Up to 12" OC	Cap & Batten Seams Over 12" OC	1" Snap Lock Panels Up to 12" OC	1" Snap Lock Panels Over 12" OC	Copper Seam Mounted	Copper Soldered Down	Corrugated Metal Roofing
SGML-1	Berger	Malleable Iron								
SGBR-1	Berger	Bronze						X		
SGML20	Berger	Malleable Iron								X
SG-CPS	Berger	Copper							X	
SG-SSS	Berger	Stainless Steel				X	X			
RTCLSM	Real Tool	Plastic		X	X	X	X			
RTCLSR	Real Tool	Plastic								
RTMINI	Berger	Plastic		X		X				
100CPSM	Mullane	Copper / Bronze							X	
200CPSM	Mullane	Copper / Bronze							X	
300CPSM	Mullane	Copper / Bronze							X	
650	Mullane	Plastic		X	X	X	X			
630	Mullane	Almag 35		X		X				
640	Mullane	Almag 35		X		X				
690	Mullane	Almag 35		X	X	X	X			
SMMFSG	Real Tool	Almag 35		X	X	X	X			
AP400M	Real Tool	Almag 35	X					X*		
AP516M	Real Tool	Almag 35	X					X*		
RT200M	Real Tool	Almag 35								
RT200B	Real Tool	Bronze						X		
RT300M	Real Tool	Almag 35								
RT300B	Real Tool	Bronze						X		
SG-IMF	Snow Meister	Almag 35								
SG-IBPZ	Snow Meister	Bronze						X		
SL-IMF	Snow Meister	Almag 35	X			X	X			
FCSTSF	Berger Rail	Almag 35	X					X*		
ECSTSF	Berger Rail	Almag 35	X					X*		
SCSTSF	Berger Rail	Almag 35	X					X*		

Distributed by

SlateRoofWarehouse.com

Ph: 814-786-9085

Mail@JosephJenkins.com

BERGER®

QUALITY BUILDING PRODUCTS SINCE 1874

BERGERBP.COM • INFO@BERGERBP.COM

800-523-8852 • 215-355-1200 • FAX: 215-355-7738

COPYRIGHT © 2022. ALL RIGHTS RESERVED.